# The State of Himalayan Environment and Emerging Issues (A Study in Political Geography)

Dissertetion submitted to the Jawaharlal Nehru University
in partial fulfilment of the requirements
for the award of the Degree of
MASTER OF PHILOSOPHY

# DIBAKAR SARKAR



CENTRE FOR INTERNATIONAL POLITICS
ORGANIZATION AND DISARMAMENT
SCHOOL OF INTERNATIONAL STUDIES
JAWAHARLAL NEHRU UNIVERSITY
NEW DELHI - 110067

1989



# जवाहरलाल नेहरु विश्वविद्यालय JAWAHARLAL NEHRU UNIVERSITY NEW DELHI - 110067

CIPOD/SIS/JNU

July 1989

Certified that this dissertation entitled 'The State of Himalayan Environment and Emerging Issues ( A Study in Political Geography )' submitted by Mr. Dibakar Sarkar in fulfilment of nine credits of total requirements of twenty-four credits out for the award of the degree of Master of Philosophy (M.Phil) of this University, is his work and may be placed before original the examiners for evaluation. This dissertation has not been submitted for the award of any other degree of this University or any other University to the best of our knowledge.

Prof. S.C. Gangal

Chairperson

Prof.R.C. Sharma

Supervisor

RCh

GRAM: JAYENU TEL.: 667676, 667557 TELEX: 031-73167 JNU IN

# ACKNOWLEDGMENTS

This dissertation has involved the helpful cooperation of many who have much more pressing claims on their time. I must start by thanking my supervisor R.C.Sharma for extending every support and for constantly infusing confidence into me, of which I was in short supply at many stages while at this work. A substantial debt of gratitude is owed to Development Alternatives for allowing me to utilise their valuable library facilities. I thank Mr. C. Bhutia, Mr. S.K. Acharya, Mr. s. Marcus, Mr. S.K. Mukhopadhyay, Mr. Mr.S. Gupta, and Mr. R. Nambiar without Balakrishnan, whose assistance completing this dissertation would have been immeasurably more difficult. I thank all friends for their sustained encouragement and support. am profoundly grateful to Mr. Muruganantham for taking great care in typing this dissertation. Above all, I thank my parents for always standing by me.

# CONTENTS

Chapter		<u>Page</u>
One	Introduction	1
Two	Some Aspects on the Nature of Mountain Ecosystems	15
Three	Degradation of the Himalayan Environment : Myth and Reality	42
Four	Changing Man-Land Relations in the Himalayas	77
Five	Environmental Awareness and Conflict Situations in the Himalayas : An Evaluation of the Chipko Movement	118
Six	Ethnoconservation : A Way out of the Impasse	149
Seven	Conclusion	168
	Bibliography	185

# CHAPTER I

#### INTRODUCTION

High mountains exist on all continents and different latitudes. The structure and operation of alpine ecosystems are however, not dependent only on altitude. The interaction between altitude and latitude is more important. These low-temperature, lowhigh-radiation environments have pressure, and their unique climatic, pedologic, floral, faunal, and characteristics socio-economic and diversities. Latitudinal and altitudinal gradients are primarily responsible for creating the macro-gradients of these parameters within mountain ecosystems. The mesotopographic gradients are primarily caused by topog-Besides, minor surficial forms raphic differences. cause what are termed as micro-topographic gradients. A more detailed study of certain aspects of mountain ecosystems has been attempted in Chapter 2.

Natural ecosystems if undisturbed are perfectly functioning self-regulatory mechanisms in a state of

<sup>1.</sup> Billings, W.D; 1985: "High Mountain Ecosystems: Evolution, Structure, Operation and Maintenance"; in Singh T V; and, Kaur, J.(eds); Integrated Mountain Development; Himalayan Books; New Delhi; 43-71.

equilibrium. However, in modern times, human activities promoted by socio-economic goals have brought about cataclysmic upheavals thereby shattering this meticulously nurtured equilibrium.

World-wide concern for these rapidly degrading mountain environments started in the 1950s and resulted in various multinational and national programmes. This concern was primarily because, though only 10 percent of the world's population lives in the mountains, another 40 percent in the adjoining lowlands are directly dependent on the mountains for their requirements of water, minerals, forests, agriculture, and even recreation. For instance, though only 50 million people inhabit the Himalayas, as many as 350 million people inhabit the adjacent flood-plains in India and Bangladesh.

Chapter 3 deals with environmental degradation in the Himalayas and some recent findings that repudiate the oft-repeated Theory of Himalaya-Ganga-Brahmaputra Plains Environmental Degradation. According to this theory which has been largely synthesised by Ives(1987) from different sources, an increasing population in the Himalayas has resulted in an increase in the demands for fuelwood, timber,

This has led to rapid depletion of the and fodder. Himalayan forests. Besides, cultivation of steeper and mariginal land has increased soil erosion and disrupted the hydrologic cycle. This has been directly responsible for increased run-off, floods during the wet season, low-flows during dry season, siltation. Scarcity of fuelwood has large-scale compelled the people to use animal dung as fuel, thereby depriving the soil of its natural fertiliser. has also resulted in deteriorating soil making it vulnerable to landslipping ture erosion. Depleting soil fertility again forces the hill farmer to cultivate more marginal land. Hence. what can been seen is the operation of a series of interrelated vicious circles leading to a downward spiral, and a future demise of the Himalayan system, thereby resulting in a progressive shift from instability to that of massive actual instability.

Though at a preliminary level all these assumptions look perfectly sound, these linkages are

<sup>2.</sup> Ives, J.S.; 1985: "The Mountain Malaise: Quest for an Integrated Development"; in, Singh, T.V.; and, Kaur, J.(eds); ibid; 33-42.

actually not supported by rigorous and reliable data. Under close observation many of these assumptions are untenable, and in many instances the reality has been seen to be diametically opposite. Frequent repetition of certain misperceived impacts of forests have come to be widely accepted. However, fortunately rigorously conducted watershed research has been able to dislodge a number of myths.

Effects of socio-economic process on mountain systems should be studied with the help of coreperiphery theories, as mountains are basically peripheral to the overall system. Though the core-periphery theories are somewhat abstract, they are greatly helpful to understand the subjugation-domination relationship in mountain-lowland interacting systems. In Chapter 4 I have thus based this discussion according to the theories of Friedmann (1966) and Zelinsky 3 (1971).

The fragility and sensitivity of high-altitude mountain ecosystems and their spiralling deterioration has led to increasing concern for the

<sup>3.</sup> Grotzbach, E.; 1984: "Mobility of Labour in High Mountains and the Socio-Economic Integration of Peripheral Areas"; Mountain Research and Development; 4(3); 229-235.

physical environment. Despite the remoteness of the Himalayas, the population of these mountains are experiencing a major transformation of their social structure. Traditional social adaptations were functional in an encapsulated environment. However, exogenous influences have de-encapsulated the environment and the traditional social system has undergone various demographic, ecological, and economic transformations.

The sustenance of a sophisticated civilization for 1500 years in the Himalayan region is a great achievement in human adaptation. Considering the harshness and sensibility of the environment, and the possibility of irreversible damages to the environment, this achievement is all the more impressive. This traditional ecosystem homeostasis is however in the process of disintegration due to numerous exogenic forces. This has not only caused environmental deterioration but also social dislocation.

A study of changing man-land relationship in the Himalayas primarily concerns a study of the

<sup>4.</sup> Goldstein, M.C.; 1981: "High-altitude Tibetan Populations in the Remote Himalaya: Social Transformation and its Demographic, Economic and Ecological Consequences"; Mountain Research and Development; 1(1); 5-18.

population explosion occurring in the region, and the effects of inter- and intra-regional migration, population growth and changes in adaptation patterns of local land-use are directly related. The pressure population on land has been one of the most intractable problems in many developing countries. This is so in many mountain areas including the For a long time the population growth Himalayas. many parts of the Himalayas was With enough percent per annum. land uncultivated, more food could easily be produced by converting forests into arable land. However, the present century improved health care facilities reduced the mortality rate greatly. But fertility remained almost unchanged. Hence, between 1901 and 1981, the population of the entire Himalayan region from Kashmir to Arunachal Pradesh tripled from 11. million to 33 million. Present estimates place it This has critically affected the at 50 million. environment, and the previously sustainable and selfsufficient economy of the Himalayas.

<sup>5.</sup> Hrabovszky, Miyan, 1987: J.P; and, K . ; "Population growth and Land use in Nepal The Turnabout'" Mountain Research and Development; 7(3); 264-270.

Chapter 5 discusses environmental awareness conflict situations in the Himalayas. Conflict situations arise primarily due to differences awareness and perceptions. Perception generally refers to images, memories, preferences, attitudes which affect human behaviour and also us to explain, predict, and accomodate future behaviour patterns. Modern studies of man - environment relations are based upon a theoretical framework of cognitive psychology and environmental behaviourism, and consider that man reacts to his environment as he perceives and interprets it through his past experience and knowledge.

Though mental images of individuals are neither holistic nor monolithic, man-environment relations reflect cognitive processes which are essential in understanding human adjustment strategies. Cognitive process are involved in the way people conceptualize, understand, and organize their environment. It is just here that culture becomes an important criterion in influencing human behaviour.

Conflicts arise over the nature of resource utilisation, their uses and allocation. Conflicts could arise due to the scarcity of resources, or due

to opposing values and decisions taken in their utilisation. The greatest potential conflict areas are those where different groups have conflicting interests and differing cultural origins but require the same resources. However, ideological differences can result in differing attitudes even within an otherwise homogeneous cultural group. This requires a multi-disciplinary approach to accomodate disparate metrices, thus requiring eclectic approaches to accomodate multi-dimensional phenomena. This will require us to develop analytical techniques capable of effectively synthesising all the varied aspects to arrive at acceptable propositions.

Indigenous civilizations were sensitive to the natural environment and well-defined social quided the management and utilisation ofnatural resources, thereby maintaining a state of However, contemproary societies are continously increasing man's access to and the rate of consumption natural resources. This has inevitably resulted in conflicts related to resource use, and the emergence of multitude ecology movements. These ecology movements attempt to redesign the pattern and extent the usage of natural resources and bring about of

social equality and environmental stability and sustainability. These movements have questioned hither-to dominant concepts of economic development. Though these movements are geographically localised, their impacts are broader in import. They are rooted in the cognitive gaps of our development planning. Such movements can no longer be ignored as they externalise the various adverse impacts and short-comings of our myopic exploitative development policies which have ecological destruction and economic deprivation in-built in them.

Having acknowledged the fact that a crisis situation does exist in many parts of the Himalayas, that could as well be developing in other parts what we urgently require is to formulate a new paradigm to arrest this downward spiral, and to explore new avenues to bring about an ecologically balanced development.

We have forcibly made the diverse traditions of the world to converge onto a homogeneous monolithic

<sup>6.</sup> Bandyopadhyay, J.; and, Shiva, V.; 1988: "Political Economy of Ecology Movements"; Economic and Political Weekly; 23(24); 1223-1232.

order. We have fallaciously equated development with economic growth, economic growth with expansion of market economy, modernity with consumerism, and nonmonetised economies with backwardness. What we need to understand is that local people are to extent highly aware of their environment. not to say that they are the repository of all knowledge, but that they are the repository of some knowledge. Their traditional life-styles always maintained an equilibrium with the natural environment, which had guaranteed sustainability. If they are not being able to do so at present it is primarily because they are helpless and powerless to substantially more powerful social, economic, and political forces originating from outside these mountain environments. Herein, lies a great possibility of utilising local perception, awareness and methods in regenerating the environment. Local cultures need to be fused symmetrically with modern technology to regenerate a stasis level in the environment. This will necessarily entail a transfer of power to powerless and the marginalised. It is precisely this alternative mode to conservation that I have tried to explore in Chapter 6.

However, till today processes accelerating environmental instability in mountain ecosystems are not This will require more intensive ecolowell known. gical research and a fuller understanding of natural and human processes of these regions regional, and super-regional scale. It is to environmental deterioration is understood that cumulative result of slow-acting, long-lasting, and slowly-accelerating uncontrolled processes. A holistic approach to this multi-faceted problem will quire specialized contributions from different disciplines, which finally need to be co-ordinated and synthesized, as it is often said that the whole more than the sum of its parts.

It is also very important to remember that models of mountains symbolising human modifications of the environment have generally been based on the single criterion of altitudinality. In modern times such narrow and closed models are no longer applicable and should give way to more flexible and accomodative ones. Altitude per se, except in a few still

<sup>7.</sup> Messerli, B.; 1985: "Stability and instability of Mountain Ecosystems: An Interdisciplinary Approach"; in Singh, T.V.; and, Kaur, J.(eds); op.cit.; 72-97.

remote areas, has become insignificant in modifying the life of the mountain people. What is of greater importance today is accessibility which has profoundly modified land-use patterns, and brought about the integration and acculturation of these mountain people with the more dominant cultures of the adjacent 8 lowlands.

Another problem often encountered while dealing with the Himalayas is data, which is contradictory inconsistent. For instance, the estimates and per capita fuelwood consumption for differ by a factor (not percentage) of 67. This pattern is compounded by a mass of contradictory definitions, contending perceptions, divergent personal strategies, and polarized policy prescriptions. To avoid such confusion I have deliberately made it a point of using as little secondary data as possible. Whenever figures have been used, I have verified and cross-checked the same from various sources.

<sup>8.</sup> Allan, N.J.R.; 1985: "Periodic and Daily Markets in Highland - Lowland Interaction Systems: Hindu Kush - Western Himalaya"; in, Singh, T.V.; and, Kaur, J.(eds); op.cit.; 239-256.

<sup>9.</sup> Thompson, M.; and, Warburton, M.; 1985: Knowing where to Hit It: A Conceptual Framework for the Sustainable Development of the Himalaya" Mountain Research and Development; 5(3); 203-220.

Besides. to understand problems like environmental degradation and poverty in the Himalayas statistics are not overly helpful as thev tend to aggregate data, and lack data on areas and specific time series. Also statistics do not explain the causes and dynamics of a problem. For instance, population growth is often said to be responsible for growing poverty, which might actually be a gross over-simplification as it is a social product that is conditioned by the socio-economic structure. Population growth may hence be a symptom of the system as a whole rather than a cause.

geography of knowledge about the Himalayas is as varied as the Himalayas themselves. Most of the work has been done on the Central Himalayas (Nepal) where the research access has been relatively In all the other regions work has been easy. taxonomic studies that are a first step towards explicit understanding of the region. The understanding concerning the local ethnosciences,

<sup>10.</sup> Pitt, D.C.; 1986: "Crisis, Preudocrisis, or Supercrisis: Poverty, Women, and Young People in the Himalaya. A Survey of Recent Developments"; Mountain Research and Development; 6(2); 119-131.

ethno-practices, folk taxonomies, and indigenous
11
land-use strategies have received less attention.

Literature on the environment exists at three distinct levels, - the biophysical, the microsocial, and the macrosocial. However, these are epistemological levels and are but artificial discontinuities in the arrangement of knowledge. However, since systems of knowledge allow us to understand reality, we have to draw upon them and their systemic connections for a conceptual framework.

At the biophysical level physical and biological scientists focus on the physical and natural processes that sustain or undermine the environment. They however tend not to appreciate the role of the individual agents, i.e., the local mountain dwellers.

At the microsocial level, the anthropologists, social foresters, and cultural geographers focus on the social context of the individual agents, eg. the patterns of land tenure, patterns of social relationships, etc. Thus they bring to us various important

<sup>11.</sup> Hatley, T; and, Thompson, M; 1985: Rare Animals, Poor People, and Big Agencies: A Perspective on Biological Conservation and Rural Development in the Himalaya"; Mountain Research and Development; 5(4); 365-377.

socially induced strategies in the lives of the indi-However, disruptions of social contexts at genes. the macrosocial level can change the life-styles of Such changes at the macrosocial level these people. are for instances, rapidly rising population, industrial and economic development, geopolitical upheavals, and changes in government policy. These the basic parameters on which people who deal with the macrosocial level such as political scientists, policy analysts, and students of international relations concern themselves with. However, the understanding of the systemic connections between these three levels is abysmal.

"But it is precisely these connections-between the natural environment, the myriad strategizing agents, and the large-scale social perturbations - that will have to be explored and understood before we can really tell whether anything can be done about the environmental degradation of the 12 Himalaya and, if so, what."

<sup>12.</sup> Thompson, M.; and Warburton, M; 1985; op.cit.; 208.

### CHAPTER 2

# SOME ASPECTS ON THE NATURE OF MOUNTAIN ECOSYSTEMS

High mountains exist on all continents, on many islands and in different latitudes. However, alpine ecosystems are not simply dependent on altitude alone for its structural and operational characteristics. What is more important is the interaction between altitude and latitude. Ecologically, high mountain ecosystems in extratropical areas should necessarily show the absence of tree vegetation and the presence of late-lying snow during the summer season. In the tropics, however, such systems might show occasional snowfall and nightly frosts.

Ecosystems of high mountains have often been compared with those of islands, being surrounded by a 'sea' of lowland deserts, grasslands or forests, besides the additional buffer provided by the cold. This has made it possible for mountain areas to maintain their own distinct floral and faunal types.

Billings, W.D.; 1985; "High Mountain Ecosystems: 1. Operation Evolution, Structure, Maintenance"; T.V. in, Singh, and, Kaur, J.(eds); Integrated Mountain Development; Himalayan Books, New Delhi; 43-71.

This has resulted in many of these areas having a 2 highly endemic biota.

Though only 10 percent of the world's population live in mountain areas, another 40 percent are dependent in some way on these mountains, as for instance,

 $\overline{2}$ . However, biota in most mountain areas have resulted from the migration of taxa from lowlands to higher altitudes, or from adjacent lower latitudes polewards due to warming of climates Pleistocene global during interglacials, and the subsequent evolution of these migrating organisms. It may be mentioned here that the southern slopes of the Himalayas from the boundary between Palaeotropic floristic realms. Holoarctic Floristic realms humid eastern differ between the wet, Himalayas and the dry western Himalayas, the Nepal Himalayas being a phytogeographical transition zone. However, in the eastern Himalayas, some western Himalayan forest types found to occur in relict patches preserved local habitats, such as south-facing slopes. These species form the climax dry convex slopes. species in the western Himalayas, as pioneer in the middle Himalayas, and as relict species species in the eastern Himalayas. Examples of such species are roxburghii, Pinus P.wallichiana, and Quercus semicarpifolia.

The occurrence of such phytogeographical elements might be either because of :

- 1. relict patches in a local relict environment, or
- 2. fresh invasions into local habitats with special environmental conditions, such as dry ridge-tops or disturbed habitats. The former is designated as relict-type and the latter as regeneration-type species.

  (Ohsawa, M., Shakya, P.R. and Numata, M, 1986: "Distribution and Succession of western

 $\underline{a}$ nd

Himalayan Forest Types; Mountain Research

Development, 6(2), 143-157.)

through their needs for water, minerals, forests, agriculture and recreation. Hence, atleast half ofthe world's population weather living within the mountains or in adjacent areas are dependent on the Besides, very soon South and East mountains. contain more than half of the world's alone will population. The economy of this area is largely dependent on the rivers flowing from the Himalayas, the Karakorum and Tibet. This suggests that increasing percentages of the world's population is getting directly dependent on the mountains.

Concern for mountain environment degradation from the 1950s resulted in many international, multinational, national and local initiatives, including UNESCO'S MAB programme; the conference on development of mountain environment at Munich in 1974; IUCN'S conference on the management of High Mountain Resources at Christchurch in 1976; the Council of Europe's Conference on the Future of the Alps, the establishment of Highland-Lowland Interactive Systems in 1978 under the United Nations University, the establishment

<sup>3.</sup> Messerli, B.,1985: "Stability and Instability of Mountain Ecosystems: An Interdisciplinary Approach"; in, Singh, T.V. and Kaur J.(eds). op.cit; 72-97.

hment of International Mountain Society in 1980; Integrated Mountain Development (ICIMOD) in Kathmandu 4 in 1983, etc. Despite such attempts there seems to be an ongoing trend towards instability of mountain ecosystems and the acceleration of these destructive processes. This brings about the need for better research, better resource development, and better implementation of programmes.

A study of mountain environments should try to clear certain age-old misconceptions about mountains. Mountains have often been considered as barriers to movement but actually mountains have often been quite permeable especially where exploitative resources are located. This has led to highland-lowland circulation systems which have integrated the highlands with the lowlands. Highland and lowlands are continuously interacting and are fundamentally interrelated.

Terms like uplands, hills, mountains and highlands are often used synonymously. However a clear

<sup>4.</sup> Ives, J.D.; 1985: "The Mountain Malaise: Quest for an Integrated Development; in, Singh, T.V., and Kaur, J.(eds).; ibid; 33-42.

distinction is required. Uplands and highlands often be flat or at most undulating without the characterictic steep slopes of a mountain. This makes the topo-climates of mountains much more varied than highlands, due to the existance of multiple " ecoloniches" or "patch environments". Due to the existence of such a large number of niches at different altitudes, mountains have been able to support relatively large populations by exploiting different niches during different seasons. This leads us to the oft-mentioned tiered belt or altitudinal zonation model of mountains whereby fields, forests and pastures are altitudinally integrated into a complementary unit. But such a description will ideally require mountains to be completely isolated which is necessary for accounting for all the matter-energy inside the bounded space of these low temexchanges perature, low pressure, high radiation environments. However this is not the case with most mountains

<sup>5.</sup> Such simplistic models are not applicable to mountain areas, atleast in the present world. A discussion supporting this statement has been put forward in subsequent pages.

having been partly or completely integrated with the 6 adjacent lowlands.

The biologic component of these alpine ecosystems is dependent on the primary productive capacity of green plants. As the evolution of photosynthetic system to such extreme conditions is a slow and rare process, the number of vascular plants decrease with altitude and with latitude.

However, for a fuller understanding of mountain ecosystems we should at first attempt to understand the climatic conditions and the internal variations of these ecosystems, as climate besides relief profoundly influences human adapations. A study of mountain climates will bring out some reasons for the great internal variations in human adapations within mountain systems.

<sup>7.</sup> I use the word influnce with emphasis, and it should not be mistaken to be synonymous with words such as 'determines' or 'controls'.





<sup>6.</sup> Allan, N.J.R.; 1985: "Periodic and Daily markets in Highland-Lowland Interaction Systems: Hindu-Kush-Western Himalaya; "in, Singh, T.V., and, Kaur,J.; (eds). op.cit; 239-256.

Air temperatures decrease with altitude. The dry adiabatic lapse rate being 0.976 C/100m. But altitudes above the level where water vapour reaches saturation point, the decrease in temperature according to the wet adiabatic lapse rate due to the release of latent heat. This, however, varies from place to place. Besides, air temperatures are influenced by topography, vegetation and local air movement. Temperatures also vary seasonally and from region to region due to inversions, prevailing wind directions, air masses and cloud conditions. For example, the lapse rate on Mt. Kirishima, Japan 0.86 C/100m. at 650 m a.s.I. and 0.45 C/100m below In August both parts of the that point in February. slope have a uniform lapse rate of about 0.68 C/100m. If there are few clouds, the lapse rate of minimum and maximum air temperatures are smaller on the upper slopes. while it is the reverse on the lower slopes. Also minimum temperature lapse rates are smaller than Besides, with those for maximum temperatures. crease in altitude, diurnal range of air temperatures decrease. Generally for temperate zones of the northern hemisphere, the lapse rate is greater for northerly than southerly winds, the lapse rate on lower slopes of low mountains is smaller due to high frequency of low level inversions; and, these tendencies are generally stronger in winter than in summer.

Humidity is determined by temperature and water vapour content. The latter decreases with altitude due to decrease in air temperatures, with half of the atmospheric water vapour being below km. a.s.l. Relative humidity is related inversely to temperature, and is low at day time and high at air night except in alpine areas. However, it varies seasonally due to air mass influences. Distance from the coast and prevailing summer winds, (as, sea water temperatures and hence evaporation are maximum summer), also influence humidity conditions. Generally, water vapour pressure and relative humidity above 2000 m. a.s.l. are maximum in afternoon. below 1000 m. a.s.l., water vapour pressure is maxiin daytime, and relative humidity in the early morning.

Fogs are also an important weather determinant. Fogs occur due to adiabatic cooling of air masses. The height of condensation level differs from region to region. Air mass movements also influence fogs. Fogs in mountain areas affect every other

climatological phenomena, including, insolation, air and ground temperatures, humidity, etc.

Insolation is affected by altitude and the clination of slopes. Insolation on mountains stronger due to the decrease in the amount of water vapour and dust particles in the air. However, inclination of slopes is more important in determining the amount of insolation. The adret slope or Sonnenseite is the one that faces the equator, (south facing slopes in the Northern hemisphere, North facing slopes in the southern hemisphere), therefore receives more insolation than the ubac slopes or the schattenseite which face away from Adret slopes tend to be warmer and better drained with greater use as pastures and agricultural However, fog and clouds also greatly affect insolation. Besides, snow at high altitudes greatly increases albedo.

The maximum precipitation on a mountain generally occurs on the middle slopes. This is called the "precipitation or rainfall zone". This is because ascending air cools adiabatically and at a certain attitude precipitates. However, the altitude varies regionally accordingly to temperature and

water vapour content. Generally, above 2000 m. a.s.l. the decrease in water vapour content in air decreases precipitation. However, in summer as air temperatures are higher the precipitation is likewise higher. Ιn humid tropics the maximum precipitation zone generally between 900-1400 m, and at higher attitudes decreases at the rate of 100 mm /100m. An extended high plateau in a mountain region shows a secondary precipitation maximum on the marginal ranges of However, local influences at the microtopographical level in mountain areas can be clearly seen the deviations of the actual snow-line from the climatic or regional snow-line at the macro-or climatological scale.

<sup>8.</sup> The snow-line is the line on which ablation of snow and ice is balanced by fresh additions from snow falls. The orographic snow-line is the line connecting the lower limits of the snow-line at which snow, sheltered from wind and sun, may survive at lower altitudes than exposed regional or climatic snow-line The excludes irregularities caused local influences of topography. The actual snow-line varies annually and the average line is called the firn line.(After, Yoshino, M.M.; "Mountain Development and Local Climate: An Over view;" in, Singh, T.V., and, Kaur, J.(eds); op.cit; 257-274.)

Wind velocity generally increases with altitude, are great local variations due but there t.o microtopographical features. Also, generally the maximum wind velocities occur at night and the miniin the day-time at high altitudes. In the case of the adjacent lowlands it is the reverse. there are great local differences in wind velocity in mountain areas. It has been observed that in instances the highest velocity on the windward slopes of a mountain was 2/3 to 3/5 of that in the free atmosphere and only 1/4 to 1/5 of it on the leeward side.

climates vary remarkably in mountain and agricultural land use which depends areas, climatic largely on local conditions varies Hence, small topographical differences similarly. often result in large-scale differences in agricultuland-use, the most important factors being air temperature, precipitation, sunshine hours, wind, frost free period, snow period, etc. Though crops change according to cultivation techniques, introduction of new crops, financial position of peasants, market demands, and transport facilities, the severe climatic restrictions in mountain areas largely reduces the freedom of choice.

Mountain ranges serve as the primary source of water for domestic, agricultural and industrial use for many arid and semi-arid regions of the world. This association of humid mountain ranges with the arid or semi-arid lowlands, has permitted human settlement in otherwise inhospitable areas. As has been mentioned earlier, though only 10% of the world's population live in mountain areas, another 40% living in the adjacent lowlands are directly dependent on the mountains for water.

Afganisthan, Nepal, Sikkim, Bhutan, Pakistan, Northern India, China and Soviet Central Asia largely dependent upon the rivers (Amu Darya, Indus, Brahmaputra, Huang Ho and Yangtze Kiang) that originate in the Himalays and the adjacent highlands. Similarly, large parts of Ecuador, Peru, Bolivia, Chile and Argentina depend on the watersheds located in the Andes. The Nile originating in the mountains drains the arid areas of Ethiopia, Sudan and Egypt.

This discussion on climatological phenomena of mountains is largely derived from, Yoshino, M.M.; 1955; op.cit; in, Singh, T.V., and, Kaur, J, (eds); op.cit 257-274.

The Columbia, Missouri and Colorado Rivers originating in the Rocky mountains drain the arid western United States of America. The Alps also contribute greatly to the flow of the Rhine, Rhone and the Danube.

This highland-lowland hydrologic interaction is a complex process. Overuse of mountain ecosystems due to increasing population pressure or economic opportunities can adversely affect the hydrologic regime, thereby altering the timing, volume and quality of surface run-off. Such deleterious changes may result in accelerated erosion, slope instability, increased flood crests, increased sedimentation, and extended dry periods.

Generally, high altitude areas receive more precipitation than the adjacent lowlands, due to orographic lifting of air masses. With increasing altitude, air temperature decreases and precipitation 10 efficiency increases. Losses due to evapotranspiration also probably decrease. Besides, with increasing altitude, the porosity and permeabitity of geologic structures decrease, thereby resulting in a

<sup>10.</sup> Precipitation efficiency is defined as the ratio of precipitable water vapour in an airmass to that actually precipitated.

decrease in groundwater storage and a corresponding 11 increase in the runoff efficiency. Besides, a large part of the precipitation is in the form of snow, the accumulation of which helps to maintain the water regime in the dry season.

The hydrometeorological environment of mountains varies with latitude, longitude and the 12 altitudinal interval occupied. Thus the timberline 13 and the snowline generally rise in altitude equatorwards. Hence each mountain area has its distinct water exchange relationship according to its three dimensions of latitude, longitude and altitude.

However, the study of mountain-lowland interactions have been constrained by a lack of suitable three dimensional models which can provide a realistic picture. The two dimensional models developed for lowland areas (minus the altitudinal dimension) are not tenable for the mountains. Besides, data from

<sup>11.</sup> Runoff efficiency if defined as the ratio of precipitation which becomes surface runoff.

<sup>12.</sup> The timberline is the zone demarcating the timbered montane from the treeless alpine belts.

<sup>13.</sup> The snow line is the zone demarcating belts of seasonal from belts of perpetual snow.

mountain watersheds are relatively scarce and if present are highly site or scale -specific and are not applicable to entire mountain ranges. This is due to tremendous internal variations as the result of the interaction between local meteorological and terrain variables. Even at present we have made little progress in accounting for this variability. Mountain hydrologic systems and their role in determining water availability in the adjacent lowlands have not yet been properly studied.

Though mountains vary from each other due to numerous factors, the latitudinal and altitudinal gradients called "macrogradients" have a profound control on the distribution of biota due to their influence on such factors as the amount of insolation received, length of day and growing season, temperature and precipitation conditions, etc. Within these gradients exist the "mesotopographic" gradients caused primarily by topography, as topography affects solar radiation soil moisture, soil and air temperatures, wind conditions, and snow drifts. Mesotopog-

<sup>14.</sup> This discussion of mountain hydrologic systems is largely based on, Alford, D.; 1985: "Mountain Hydrologic Systems"; Mountain Research and Development; 5(4); 349-363.

raphic gradients largely modify the energy conditions produced by latitudinal and altitudinal gradients. Within mesotopographic gradients, small rock outcrops or depressions produce "microtopographic" gradients due to the protection they provide. All such gradients contribute to the great habitat and biological 15 diversities.

Though high mountain ecosystems are primarily controlled by physical factors which determine, for instance, radiation rates, soil and air temperatures, snow distribution, wind speeds, growing season and slope and soil characteristics; it could be mentioned that the biological portion of the ecosystem is also of great significance.

The biological component of these alpine ecosystems is dependent upon the primary productive capacity of green plants. As the evolution of photosynthetic systems to such extreme conditions is a slow and rare process, the number of vascular plants decrease with increase in altitude and latitude. Even the pedologic characteristics of these environments are unique as they have largely evolved in

<sup>15.</sup> Billings, W.D.; 1985: op.cit; in Singh, T.V., and, Kaur, J., (eds); op.cit; 43-71.

the absence of human intervention, with many of them also not having hooved animals. The intrusion of such aggressive organisms into these fragile environments have had disastrous effects on these ecosystems.

As in all ecosystems, the changes of operational energy from the environment to the biological community is carried on by green plants through photosynthesis. In alpine ecosystems these plants are small and are patchy in distribution. However, despite their smaller size and low temperatures they are comparable in terms of energy capture per season day to plants of other ecosystems. the short growing season energy capture on annual basis is comparatively less, as they are productive only for 10-25% of the year. Alpine vegetation in extra-tropical and in some tropical areas graminoids (grasses dominated by perennial associated with herbaceous sedges) dicotyledons, dwarf shrubs, mosses and lichens. Most of these graminoids and dicotyledons have most of their biomass within the soil. Annual species are small and are not of much significance in the overall vegetational cover or productivity. The vegetational gradient at

any elevation is correlated to and controlled by snow and water availability in different segments of the mesotopographic unit, with the most productive and luxuriant vegetation in the meltwater meadows.

The perennial herbaceous plants break dormancy rapidly in summer and give off shoots leaves through the translocation of carbohydrates and lipids from the perennating parts such as the roots and rhizomes. Respiration rates are high, increeasing metabolism. Initially photosynthetic are slow due to the time taken in chlorophyll synthesis. This results in the net loss of dry weight With the synthesis of suffiin the first few weeks. cient chlorophyll the net photosynthesis becomes positive. Most alpine plants follow the C photosynthetic mode.

Some instances of the special characteristics of some alpine plants that have allowed them to survive in such an inelastic environment are given below.

<sup>16.</sup> C4 <u>Muhlenbergia</u> has been found by Harrison in subalpine parts of Wyoming, Canada. However, even if found, C4 species are so rare in alpine environments that they are insignificant in the overall plant productivity of these ecosystems.

- 1. Alpine weather shows frequent changes in temperature and light intensity as the sun can be frequently obscured by dark clouds. Species like Oxyria digna (alpine sorrel) have the ability to quickly adjust photosynthetic and dark respiration rates to environmental changes, thereby attaining a state of homeostasis.
- 2. Many plants have the ability to degrade the starch into sucrose and to translocate sucrose to storage organs at low temperatures. Most crop plants except some like potato, cannot do this.
- 3. Flowering in most alpine plants is generally from flower bud primordia formed atleast a season earlier. This permits them to flower quickly. Besides most plants can reproduce vegetatively through bulbils, rhizomes, stolons and bulbs; which are rich in carbohydrates, lipids and even proteins and are important as food for higher trophic levels.

Animal life, especially the herbivores, both resident and transient ones, are directly dependent on the plants. Food webs in alpine environments are very complex. In one instance, 22 species of mammals and 13 species of birds were an integral

part of this food web. This is further complicated by summer grazings of herds brought from the lowlands. Besides, organisms such as fungi, bacteria, protozoans, and innumerable invertebrates are present as decomposers which are essential for the recycling of carbon and other essential mineral nutrients. However, studies and data on these decomposers in high altitude environments are very limited.

Organisms of alpine ecosystems well adapted to the severity of the alpine environment. insects and animals dependent upon the have maintained a balance between themselves. are also important in soil formation and its protection, and in turn derive water, nutrients and stability from them. It is the introduction of new orgathat are primarily responsible for disruption this balance. Of this, human intervention is the important, as high altitude ecosystems have most evolved without the human component, as primitive men were only casual visitors to such environments. Only in a few cases, some primitive people after long residence have been able to come to tenuous terms their environment, the links of which delicate as the environment itself. Any increase of

population pressure on and has invariably resulted in the degradation of the ecosystems and social 17 systems.

"Natural ecosystems are characterised by self-regulatory energy flows and food-chains and are in a state of equilibrium. However, these ecosystem equilibria are very sensitive to external stimuli, such as human activities promoted by socio-economic 18 goals" People inhibiting high altitude areas have adapted to the inelasticity of their environment and have developed social mechanisms to overcome ecological constraints, eg. polyandry, monasticism with celibate inmates, etc.

High-altitude environments with their pronounced relief and other characteristics related to geology, climate, vegetation and geomorphic processes peculiar to such areas, are highly susceptible to erosion and other hazards. Such hazards due to exogenetic processes are for example, water erosion, landslides,

<sup>17.</sup> Billings, W.D.; 1985: op.cit; in Singh, T.V., and, Kaur, J., (eds) op.cit; 43-71.

<sup>18.</sup> Bhasin, M.K.; Kumar, V.; and, Sehgal, A.: 1984: "Impact of Human Activity on the Ecosystem with Reference to the Sikkim Himalaya MAB (Man and the Biosphere) Programme, UNESCO; "Mountain Research and Development; 4(3); 267.

debris flows, rockfalls, and floods. Besides many mountain regions are tectonically active. For instanmajor earthquakes occur in the Himalayas once every 30 years. Secondary effects of earthquakes such landslides also cause severe damage. It is quite possible that many of these slope processes were active prior to the interference of the environment However, with the begining of the human by man. intervention, former dense forests were turned into depauperate forests and arable, grazing, and shrub land. With large scale construction of terraces the micro-relief was greatly modified, besides irrigation systems and changed vegetation types created drastic changes in the ground water and run-off conditions. Some of these changes introduced by this man-made landscape considerably increased slope instability and run-off, whereas changes such as terracing countered these destabilizing processes to some extent.

High mountains have been variously defined. However, the focus of impacts related to resource

<sup>19.</sup> Kienholz, H,; Schneider, G., Bichsel, M., Grunder, M., and, Mool, P.; 1984: "Mountain Hazards Mapping Project, Nepal. Base Map, and Map of Mountain Hazards and Slope Stability, Kathmandu - Kakani Area (with 2 Maps, Scale 1: 10000)": Mountain Research and Development; 4(3); 247-266.

exploitation and other human activities are generally not the high mountains, but rather the middle and the lower hills where intensive land-use is possible.

Mountains cannot be defined only on the basis of altitude. Altitudinal vegetation belts are more important than altitude or geologic structure a discussion on the susceptibility of these ecosystems to human activities. Impacts of human activities normally brings about a continuous interaction between different ecological or vegetational Considering this, all areas having more than altitudinal vegetation belt should be considered mountainous. For a discussion on the susceptibility of these ecosystems to continued and increasing human impacts, it is necessary that we define certain terms such as stability, vulnerability, fragility and instability.

"Stability implies the long-term sustainability in the use and exploitation of land and natural resources in each ecological belt, and also a sustained long-term interaction between the different belts." Vulnerability is used to characterize " a system for which stability can be maintained only by careful management and by a high input of energy".

Fragile " is used to imply that irreversible change, or damage, can be inflicted easily". "Instability is used in situations where damage, or change, is occurring not only in terms of the resource and land-use of each ecological belt, but also through the interaction between belts, or between highland and lowland 20 systems".

Human impact is the most important component in a rapidly changing mountain environment, though other factors such as climatic type, relief, altitude, geology and vegetation can not be neglected. Culture is derived from the Latin word cultura meaning agriculture. It was used by Cicero in an intellectual sense to imply that equal attention should be paid to the human spirit as to the field, thereby linking human and natural sciences. Culture is based on the natural environment, as culture is the result of a long human interaction with the environment. When this interrelation is forgotten we tend to bring about destabilizing effects on the ecosystem. Besides, the mountains being a high energy

<sup>20.</sup> Messerli, B.; 1985.; op.cit; in Singh T.V., and, Kaur, J.; (eds) op.cit; 75.

environment, instability in one part can cause instability in other parts too, due to its downslope effects.

Alexander von Humboldt attempted a comparative study of mountains according to climatic types based on altitude and latitude. This was the beginning of mountain research. However, at that time human activities were still more or less in tune with nature and so Humboldt could not perceive the overwhelming effect of human impacts on mountain environments. However, in recent times the equilibrium and stability of these ecosystems has been threatened due to increasing pressure on land resources and in some areas due to the evils of unmanaged tourism.

Mountain ecosystems show varying degrees of development, which is the reflection of varying degrees of development in the adjacent lowlands. In industrialised countries there has been a noticeable trend of declining agriculturally-adapted populations and an increasing non-adapted tourism based population in the mountains. The mountains have become recreational areas for the people of the lowlands and have undergone large-scale changes to accommodate

the large seasonally transient population. This is in sharp contrast with the mountains in the developing world where a largely agricultural and subsistence population is experiencing rapid population growth, thereby creating unsustainable pressure on land and bringing marginal lands under cultivation. This has resulted in a rapidly deteriorating environmental balance together with large-scale outmigration many areas. However, it should be mentioned that the developed countries faced a similar situation, until rapid industrial and technological developments the 18th century brought about a new economy with innumerable opportunities to absorb the increasing should also be mentioned population. Ιt that these types of mountain systems are presently endangered and require immediate efforts to achieve a stability. This, however, does not mean that the two systems lack their similarities, eq., steep slopes, varying precipitation with altitude, short growing period, higher seismicity, greater slope instability, higher percentage of area that can be called marginal land, and thinner soil mantle than the adjacent lowlands.

<sup>21.</sup> Messerli, B.; 1985: ibid; in, Singh, T.V. and, Kaur J. (eds); ibid; 72-97.

Above all, extreme caution should be taken in not making general statements on mountain systems until a comprehensive coverage of these regions are made, as great internal (physical and cultural) variations exist. This has often been overlooked, and single village studies have often been extrapolated to a general level. A greater mistake often committed, is that findings on a particular mountain system (say the Alps) is extrapolated to another mountain system (say the Himalayas).

## Chapter - 3

## DEGRADATION OF THE HIMALAYAN ENVIRONMENT: MYTH AND REALITY

Before we begin any discussion about the Himalayas, it is essential to differentiate between temperate-latitude mountains mostly located in industrialised countries and tropical and subtropical mountains of developing countries. Compared to the Himalayas (and other mountain areas other developing countries), the temperate latitude mountains of industrialised countries present a rather different picture. For instance, the environmental degradation in the Alps is primarily due to population increase and due to increasing affluence of people living in the adjacent lowlands. This has resulted in an increasing demand for the resources of the mountains, such as minerals, water, timber, and most importantly for recreational purposes. This last factor has resulted in rapid disruption of local cultures and also large-scale depopulation of areas that due to various reasons are either not suited for tourist industry or are not competitive agricultu-

It is to be noted that such generalizations are only broadly representative at a global level.

rally, thereby bringing about a collapse of mountain agro-ecosystems. Depopulation and land abandonment usually results in a remarkable increase in soil erosion until new shrubs or forests are established which brings about a new stability. Besides, tourism especially if not properly managed increases pressure on the environment, thereby adding to the degradation of mountain environments.

What is of critical importance today is that this problem is not restricted only to developed countries, (which can afford to combat it through increased technological and capital inputs), as over the years mountain areas in developing countries too have been witnessing a massive expansion of tourism besides the large - scale exploitation of resources for the benefit of individuals or communities located outside these regions.

A synthesis of the literature dealing with the environmental supercrisis developing in the Central Himalayas has been put—forward—by

2

Jack D. Ives (1987). The Himalaya-Ganga-Brahmaputra system can be considered among the world's largest highland-lowland interactive systems. The theory of Himalayan-Indo-Gangetic Plains' Environmental Degradation has been often cited to explain all natural catastrophes in this area. Population in the Himalayan region started growing rapidly with the introduction of modern health care facilities in the 1950's. For instance, Nepal experienced a poulation growth rate of 2.6 percent per annum between 1971-81, which in many areas exceeded 3.5 percent per annum, therby resulting in a total population of 16 million, as the population doubled in about 27 years. With 90 percent of the population rural and subsistence, demands for fuelwood (about 90 percent of Nepal's energy demands are met by combustion of biomass), construction timber and fodder increased remarkably. led to rapid deforestration with the loss of of Nepal's forests between 1950 and 1980, causing predictions that Nepal would be devoid of forest cover by 2000 A.D. The need to cultivate steeper and marginal land by cutting terraces increased

<sup>2.</sup> Ives, J.S; 1987: "The theory of Himalauan Environmental Degradation", <u>Himalayan Research and Development</u>, 7(3), 189-199.

soil erosion and disrupted the hydrological cycle. This resulted in increased run-off during monsoons resulting in floods downstream, the drying up of water points during the dry season. Besides, it increased reservoir siltation, changed river courses, covered fertile agricultural land by a barren cover of sand and gravel, creased incidence of diseases downstream. this continuous loss of agricultural land, more marginal areas have to be cultivated. This results in greater walking distances to acquire fuelwood, thereby causing more animal dung to be used as fuel. This deprives the soil of natural sers, which lowers crop yields, thus necessitating land to be brought under more cultivation. Besides due to lack of this natural fertiliser, structure deteriorates making it more vulnesoil rable to landslides and erosion.

This is not all, the rapidly increasing population means accelerating sub-division of land holdings (at present in Nepal an average family of 7 members owns one hectare of land). Women have to work harder in collecting fuelwood, fodder and water, which adversely affects their health, which

has its effect on the next generation. Animals are essential in this subsistence mixed farming system for fertilisers and draught energy. However, with declining fodder availability, the capacity of animals also decrease. Thus, what can be seen is the operation of a series of interrelated vicious circles leading to a downward spiral, and the future demise of the Himalayan system, thereby resulting in a progressive shift from potential instability to that of massive actual instability. This also causes large scale out-migration to the terai area which already has tremendous pressure on its resouce base. The population growth rate of the terai region at present approximates as high 4 percent per annum. Thus Nepal is said to be showing a transition from a highland-rural country to a low land urban one.

The net result of these processes in the Middle Mountains have been those of deforestation, lower crop productivity, increase in population, and an increase in the proportion of population dependent on subsistence agriculture, poor nutrition levels, mountain desertification, and rapid soil erosion. This rapid soil erosion has

decreased the life of reservoirs and dams through siltation, raised the river beds in the lowlands of India and Bangladesh, thereby decreasing the carrying capacity of the rivers and resulting in calamitous flooding, and destroying rich lowland farms by spreading sand and gravel when rivers breach their banks. Hence, it is quite correctly said that Nepal is exporting the commodity that it could least afford to part with (top soil), in the form that India could least afford to receive it. It has also been suggested that Nepal switch over from the Swiss technical aid to the Dutch one, to enable it to establish polders in the Bay of Bengal- a product of its own soil!!

ted. This has led to the idea that the few million hill farmers are holding the hundreds of millions in India and Bangladesh at ransom. This brings about the possibility that the downstream countries can justify economic, political and military reprisals. And if, there are no reprisals, Nepal could do well with the external aid it receives. Another convenient possibility is that of labelling the hill farmers as the cause of environmen-

tal disaster, thereby making him the scape-goat. However, this would be mistaking effect for cause.

important component of the Himalayan environment is provided by the politics of the area, such as the border dispute between India and China, the belligerancy between India and Pakistan the frictions between India and Bangladesh over the sharing of river waters, the political unrest in Afghanistan, besides the political rest within the Himalayan states of Jammu and Kashmir, Punjab, Uttar Pradesh, West Bengal and within India over demands for acesss natural resources by local and ethnic groups. the western Himalayas of India, following the border war with China large-scale road construction was undertaken which has greatly increased The exodus of Tibetans to the Nepal soil erosion. and Indian hills during 1959-60 has caused largescale impacts on the natural resource base closing of the Tibet border the mountains. The also affected several activities such as transhumance and trade.

This 'is the Himalaya-Ganga problem as perceived widely. If we analyse it we can summarize

the following salient linkages and basic assumptions (Ives, 1987):

- 1. Population explosion started after World War II due to suppresion of malaria and other diseases with better health care;
- 2. An increased population led to (a) reduced land per family, (b) greater poverty, (c) large-scale deforestation;
- 3. Forest cover in Nepal at the present rate of use will be totally lost by 2000 A.D. which will cause greater slope instability;
- 4. All this will lead to (a) increased flooding in the Ganga Brahmaputra plains, (b) extension of the delta and formation of islands in the Bay of Bengal, (c) siltation will greatly reduce the life of costly reservoirs (d) drying up of water sources during the dry season;
- 5. Deforestation leads to climatic change such as decreased rainfall.

At a preliminary level all these assumptions look perfectly sound. However, for it to remain sound under careful analysis, it should show

sufficient causal relationships between the timing and degree of population growth, deforestation, loss of agricultural land, downstream effects, It has been shown by Ives (1987) that most etc. these linkages are not supported by rigorous and reliable data. Many of the widely preferred are untenable. This is because assumptions problems are perceived according to the vested interests of persons involved. It is like a kaleidoscope which changes its pattern according to the angle of vision. For a beginning, extrapolation is to be resisted, as it creates unwarranted generalisations which in a complex region such as the Himalayas can be counter - productive and only serve to exacerbate the problem.

Ives(1987) gives an instance of how the mountain farmer has been made the convenient scape goat. The Asian Development Bank in 1982 indicated that rainfed terraces were poorly constructed and were outward than inward sloping and without a grass bund on the edge. The actuality is somewhat different. Such rainfed terraces support maize, millet, and buck wheat. Outward slope is to help prevent crop damage through waterlog-

ging. Also inward slopes would increase saturation which together with the weight of the impounded water would result in greater landslip-Also, for inward sloping terraces the laping. input for maintenance would be considerably greater. However, this does not mean that there are no poorly maintained terraces. During heavy monsoon downpours, labour input is concentrated in repairing the damage to irrigated fields which support paddy rice which is more vital for the survival of the subsistence family. During such periods rainfed terraces may be neglected for time due to the shortage of available labour. This, however, does not reflect the ignorance of the farmer. The traditional wisdom of these farmers has often been seem to be highly knowledgeable and intelligent. This according to Hatley and Thompson (1985) makes gift exchange more important compared to charity through international aid in controlling environmental degradation. This does not suggest, however that these farmers are the most intelligent, or that all of them are

<sup>3.</sup> Ives, J.D; 1987: ibid; 189-199.

<sup>4.</sup> This point has been elaborated in a subsequent Chapter.

necessarily good farmers. It only shows that all impacts caused by them are not necessarily negative. Farmers in many instances have greatly reduced potential landslipping and soil loss by re-terracing slopes or through temporary deintensification of cultivation.

The causes of deforestation are simple. mands on fuelwood have increased due to an increasing population. The important questions that need to be answered are, - the reasons for such a rapid population growth, patterns of migration and the socio-economic and political impulses required to stall this process. Besides, we need to ascertain with precision the rates of soil erosion under different soil covers and land-use types, at different altitudes, and the point sources of sediment transfer. We also need to differentiate between natural and man-made causes if effective counter-measures are to be attempted. This calls for an integrated approach (integrated in being not only interdisciplinary but also by be ing inter-agency, multi-national, and inter-personal). However, without even attempting to answer such questions we keep embarking on grandicse

large - scale development projects without even a second thought to the environmental implications.

Hamilton (1987) stresses the importance modes of tree felling and subsequent use of cleared land. According to him, if hand cutting and carrying is the primary mode of clearance and if the cleared land is replaced by well maintained terráces, then soil loss can be even less than under a forest cover. The cause of serious downstream flooding is heavy precipitation hing the ground in a short period of time, which may well be unrelated to deforestation in the higher hills. Gilmour (1987) has also shown that reforestation may not necessarily result a significant decrease in soil loss and flooding.

The assumption that the misuse of land and forests in the mountains leads to catastrophic floods and other related events in the plains is

<sup>5.</sup> Hamilton, L.S; 1987: What are the Impacts of Himalayan Deforestation on the Ganges-Brahmaputra Lowlands and Delhi? Assumption and Facts", Mountain Research and Development; 7(3), 256-263.

<sup>6.</sup> Gilmour, D.A., Bonnell, M., & Cassells, D.S.; 1987; "The Effects of Forestation on Soil Hydraulic Properties in the Middle hills of nepal: A Preliminary assessment; Mountain Research and Development; 7(3), 239-249. (However, Gilmour, et.al's Worle was highly site specific).

now being challenged by many.

In a historical sense we can say that the Indo-Ganga-Brahmaputra plains are underlain by upto 5000 metres of sediments derived from the mountains over several million years. Hence, the deposition of sediments is not a recent phenomenon. It can also very well be that the undesirable effects of flooding and sedimentation are due to human interventions in the 7 flood plains itself.

now exists a copious literature on negative impacts the Himalayas. human in However, natural proceses are atleast equally should be considered, that important. It the Himalayas are a result of recent orogenic mountain building processes, and are still active. This together with the steep topography leads to active erosional processes. With a rapidly increasing population in the Middle Mountains the demands on forest products

<sup>7.</sup> This does not mean that individua watersheds are not showing increased sediment transfer. Nor does it suggest that all human impacts in the mountains are unrelated to the problem of the lowlands, as for instance, badly constructed roads can greatly increase landsliding.

resulted in declining density and quality of forests, thereby causing large-scale deforestation. It has been commonly accepted that downstream low flows in the dry season and floods in the wet season are caused due to poor land-use practices in upstream areas. Following from this, it is also commonly accepted that this unilinear causal problem also has a unilinear solution, i.e. reforestation.

time there has been a lot some over resource depletion and ecological damage in the Himalayan region being primarily responsible for downstream flooding and The decreasing forest cover disrupts soil tion. and water conditions. Besides, these forests are critical for the viability of the mountain econo-Due to these reasons it becomes important to understand the historical process of depletion of forests in these watersheds. Three major factors have been cited by Tucker (1987) in These are the intrusion of context. political and economic systems during the colonial period, the growth of modern resource management agencies such as the Forest services,

lastly the pressures of rural subsistence and 8 population migrations.

During colonial times political and economic development was initiated in the major river basins which were the areas of major population concentrations. However, the resource base for these areas included the southern slopes of the Himalayas. Though the mountains remained relatively peripheral, modern systems of resource exploitation and institutions gradually made their way into them.

This gradually led to the extension of agricultural land by felling forests. Initially this was slow as population grew slowly until 1900 and; it was mostly through reclaiming land that had been deserted during the turbulent years of early 1800. In certain areas forests were replaced by plantations. The growth of the low-lands continually required resources from the mountains. This was accelerated from the mid 19th

<sup>8.</sup> Tucker,R.P.;1987: Dimensions of Deforestation in the Himalaya: the Historical Setting", Mountain research and Development, 7(3), 328-331.

century with the railway boom. For two decades starting from the 1850s, the sal and deodar stands were cut in an unregulated way. Later reforestation repaired the damage in the sal belt but not in the deodar one. The government then realised that hardwood supplies were not unlimited and hence, to provide a sustainable yield established the Indian Forest Service in the 1860s. However, enough damage had already been caused. After independence the forests were again ravaged for fulfilling the demands of newly independent nations.

Forest use in Nepal was different as Nepal did not adopt modern western systems until after 1950 when the Ranas were overthrown. However, even in Nepal landed elites exploited them for demands in lowland markets in India. However, no systematic study of Nepal's forest history has as yet been attempted.

The Indian Forest service was established to attain three objectives, namely to have a sustained yield of timber, to preserve forest cover in unstable watersheds, and to ensure that the indigenes had adequate supplies of wood and fod-

der for their subsistence needs. The first goal been most effectively attained, and has the The second goal has third goal the least. ceived less attention due to the national consenthat rapid economic development was more important. More recently, however, the importance of stabilizing these fragile watersheds has started getting more attention largely as a response to mass awareness.

The British established many restrictions on use of forests by villagers. Earlier rajas did not make attempts to limit access commons and since population was less is that villagers had in most places unlikely collective regulations on them. By the late 19th century the British perceived that the natural resource base was inadequate to sustain both local and distant demands without limiting access. This initiated the idea that villagers were concerned only in satisfying their demands and not the long-term sustainability of the forests. Where competing pressure was greatest political conflict was severe as that launched by the Chipko movement in the Kumaon. Migration has also

been an important factor. Outmigration from Nepal into the Darjeeling hills, large scale settlements in the terai in all regions due to various reasons, such as the resettlement of Punjabi refugees, and the migration into Assam of landstarved Muslim peasants from Bangladesh, have all been important in causing forest depletion in these areas.

After making a historical analysis of deforestation in the Himalayan region, it would be proper to analyse the oft-repeated causal relationship between deforestation in upstream areas and floods and sedimentation in downstream areas. There are many problems which impede the determination of the downstream biophysical impacts deforestation in the mountain areas. The connections made are uncertain and are mere tions of cause and effect different from reali-As far as biophysical impacts are concerned, there are three serious problems, namely the vagueness of the term 'deforestation', misinterpretation and misunderstanding of the relation between forests and climate, soil, and water; the problem of extrapolating site and scale-specific studies to large areas.

'deforestation' has been used to refer to many different activities such as commercial logging, fuelwood cutting, shifting cultivation, forest clearing for cultivation, Each of these activities have plantations, etc. different hydrological and ecological effects. However, it is frequently generalised that deforestation due to whatever reason invariably results in erosion, floods, droughts, sedimentation and desertification. Such an anbiguous use of term has made it almost meaningless for describing land-use changes. This calls for a less emotionprovoking and a more specific term, or qualifying adjectives or phrses. Effects of fuelwood cutting with manually carried products are greatly different from those of commercial felling using heavy equipments and vehicles. Similarly, erosion can be greatly different between ill-maintained and well-maintained terraces. Despite these differences, 'deforestation' has always been

<sup>9.</sup> Hamilton, L.S.; 1987; op.cit; 256-263.

<sup>10.</sup> In areas of commercial felling, trails and roads cover between 16-30% of the area.

perceived as destructive. Thus there is the need be exact about the activity bringing about change in land-use. Only then can one differentiate between harmful and benign effects, as it is not the cutting of trees per se that causes erobut rather the mode of their removeal sion. subsequent use and management of the cleared Harvesting of forests generally causes only temporary deforestation as except in very most forests have a well-developed understory, or there is a prompt establishment of new reproduction. Thus only age and size structure of the forest is altered. The biophysical effects in this case will be greatly different from caused by clearing of forests for cultivation or grazing. Besides, it has been seen, that erosion hazards are greater from burning and overgrazing, than from fuelwood cutting and fodder lopping. Thus it is inaccurate and naive to say that fuelwood cutting in the Middle Hills of Nepal results deforestation which initiates erosional hydrologic effects. The magnitude and complexity of the situation needs to be appreciated.

Through frequent repetition, certain misperceived impacts of forests have been widely accepted. Trees are said to be like sponges, soaking up water during the wet season and releasing it during the dry season. Thus it is logically believed that large-scale felling will lead to floods during wet season and droughts in the dry However, recent observations suggest otseason. herwise. It has been seen that forest cutting increases the total water yield in streams, with the increase being proportional to the intensity of cutting. It is also seen that this increased flow occurred throughout the year, including the dry season. This is because, tall forests contribute to much greater water loss through evapotranspiration than other types of vegetation.

It is also often thought that, the upper forest canopy protects the soil from raindrop impact, thereby reducing particle detachment and splash erosion. Experimental observation indicates the reverse. Raindrop impact on bare soil under tree canopies of over 10 m in height is greater than on bare soil in the open. This is due to larger drop size and the achieving of terminal

velocity with height. What actually protects the soil is the organic matter, surface litter, and the understory vegetation. If soil erosion is to be checked, the soil-litter-vegetation interface should be carefully managed.

Another misperception is that decreasing area in the upper reaches of the Ganga and Brahmaputra has led to increased flooding in the lower reaches. Bowonder (1982) has studied the pattern of floods in India for a period of 25 years between 1953 to 1978, on the area affected, cultivated area affected, people affected, total value of damage. The annual losses have undoubtedly increased. However, price inflation, greater occupancy of flood plains, better reporting of damage can also greatly account for this. Besides, rainfall cycles and unusual rainfall events can also be the explanations. It has seen in north-eastern USA where the forest cover been increasing since the beginning of this century, there has been no sign of decreasing 11 flood severity.

<sup>11.</sup> Hamilton, L.S.; 1987; op.cit; 256-263.

Rigorously conducted water-shed research has been able to dislodge a number of myths. There are no valid reasons that forests can check major floods on large rivers, as there is no causal relationship. However, forest clearing followed by unmanaged agriculture and grazing can aggravate flooding. Hence, our focus should be on conservation farming. Floods are caused by too much rainfall or snowmelt in too short a time for the soil and the channel to handle and are etermined more by basin characteristics, river constrictions by roads and bridges, large non-absorbing surfaces in cities which increase surface run-off, glacial outbursts, inadequate levees, and increasing occupancy of flood plains.

It has been well illustrated that cutting of forests usually results in the free water-table moving closer to the surface as less water is lost due to evapotranspiration. (When the subsoil has considerable concentration of salts, it has been seen that the salt is brought closer to the surface, therby rendering surface water saline). This is just opposite to the popularly held view that forest removal leads to lowering of

water-table. This can be the case only in `cloud' forests that capture additional effective precipitation or if forest removal was accompanied by soil compaction by mechanical equipment or by over grazing, or by unmanaged cultivation. All these can result in less water infiltration.

Besides, tall forests have greater evapotranspiration rates due to greater canopy roughness and deeper root systems compared to other vegetation types. Except for `cloud' forests. greater removal of forests leads to greater water yields. Water yield decreases to pre-cutting levels in 6-12 years depending on the speed of canopy regeneration. Catchment research has also shown that forest removal has shown greater stream -flow through out the year including the dry season. Following forest cutting there is an increase in peak flow, an increase in storm-flow duration and volume. However, this can occur due to peak rainfalls too, as the soil has its capacity to store water, and the rest flows off. On sites prone to shallow landslipes, root decay following tree felling can increase slope instability until

root systems are restored. In mountainous areas removal of forests through dragging, skidding and roads accelerate erosion. Traditional shifting cultivation, gathering minor forest products, and fodder lopping have little impact. However, in the steep slopes of the Himalayas, litter collection accelerates soil erosion as it bares the soil.

This does not mean that unscientific farming and mechanical clearing does not increase soil erosion. However, it should also be known, that in the tectonically uplifting Himalayas erosion is natural. Human interference if unmanaged aggravate the problem of erosion Soil erosion invariably increses sedimentation. This, however, is not evident immediately as initially sedimentation occurs in temporary storages in the watershed. It is also to be stressed that sedimentation is also largely connected with the absence flood -plain forests as sediment traps, as is a considerable contribution of sediments from floodplain croplands.

All these problems are further compounded by the inseperable difficulty of translating

impacts measured on small plots to entire large basins. At every higher level, problems increase exponentially as more factors enter into play and also variations of various factors being measured increase. For instance, erosion rates measured on small plot are not the same for the entire basin. This is because eroded material moves into temporary storages in topographic depressions, footslopes, alluvial fans or in the beds of tributory drainages. These may be moved out during storm events or may be colonised by plants to form temporary relief features. The sediment delivery may be almost 100 percent for short steep ratio streams. However, this decreases greatly with The Ganga-Brahmaputra in its lower basin size. reaches have very low sediment delivery ratios, of below 10 percent. Besides, most of these are from storages and channel erosion. Even a complete stopping of human activities in the hills will cause little change in the sediment of the lower reaches of these basins as storages of past erosion will provide a long-term supply.

<sup>12.</sup> The ratio between erosion occurring on-site and sediment at a point in a stream.

Thus, at a micro-level, sediment load is influenced more by human activity than by stream discharge characteristics, though human influences are less important to natural processes for flood and sediment problems for the high Himalayas taken as a whole. At the meso-level, the reasons for downstream flooding and sedimentation are unclear. However, natural processes play an important role. At the macro-level, in large basins, human impacts in upper reaches are insignificant in causing low-land floods, low flows and sedimentation. However, human impacts in the lower reaches themselves are significant.

According to Carson (1985):

"Flooding and sedimentation problems in India and Bangladesh are a result of the geomorphic character of the rivers man's attempts to contain the rivers. Deforestation likely plays a minor, role in the major monsoon flood lower Ganges. events on the Better management of existing forest lands marginal agricultural lands is mandatory continued however, to ensure the livelihood  $\circ f$ the Himalayan hill farmer".(13)

Floods are often thought of as being caused by deforestation. However, most floods are due to too much rainfall in too short a time. For

<sup>13.</sup> Hamilton, L.S., 1987; op.cit; 262.

instance, the floods of June, 1985 which killed 237 persons in six Indian States were due to rainfalls of upto 414 mm in 24 hours when the 14 soils were already saturated by monsoon rains. With entire basins forested too, there would have been disastrous floods. Forests are perfectly functioning ecosystems with the capability of producing many products on a sustainable basis, and so they should be well managed. However, they will not prevent floods or sedimentation in the lower reaches of rivers. Almost all scientific evidence collected in recent decades by watershed researchers fail to link upstream 'deforestation' with downstream reduced flows in the dry season and floods in the wet season.

Watershed research has demonstrated clearly that short-duration (5-minute) rainfall events generally cause more surface run-off on bare soils than on forested area. However, downstream flooding is caused normally by rainfall events of much longer duration. Bare surfaces could only result in soil erosion and flooding at a local level, and could not generate major flooding in such a far-off and such a large area as

the Gnaga plain. Deforestation and reforestation by themselves will not influence major flooding. These are primarily influenced by geomorphological and precipitation characteristics. These concepts, however, are applicable only for humid areas Himalayas, and not for semi-arid areas as in the latter areas are significantly processes Development of a well negetated soil different. surface will decrease overland flow from shortduration, high-intensity rainfall events. This have little impact on major downstream floothough, it will significantly increase surding, face soil infiltration capacity, thereby reducing sheet and gully erosion because of reduction surface run-off from short-duration high-intensity rainfall. It should, however, be mentioned that there is a great difference between local flooding major downstream flooding in a large basin. It should also be noted, that it is likely to take several decades after the initiation of reforestation programmes before the soil conditions approach those of a near-natural forest.

<sup>15.</sup> Gilmour, D.A., Bonnell, M., and Cassells, D.S.; 1987; op.cit.239-249.

of tremendous importance in highaltitude environments. Very heavy rainfalls the Himalayas cause highland and lowland whereas droughts occur when rainfalls are Water as an agent of erosion reduces agricultural productivity in hinglands and causes increased sedimentation in the lowlands. Water can saturate the soil. thereby causing slope instability. Water resources if harnessed can facilitate economic development through the generation of hydroelectic power and its use in irrigation. Despite such great importance of water for the Himalayan region, the interaction between water and highland soils is still not well understood and hydrologic data limited. Data on climatic variables limited and if present cover only a short span of Besides, there are only a few site-specific studies on snow-melt and stream-flow characteristics. Studies of run-off processes are important evaluate the effects of land-use on hydrologic characteristics. We still tend to believe that slope denudation leads to less infiltration groundwater storage and dry season low-flows, increases overland flow and flooding in the The hydrologic system is rarely so season.

ple. Till now no empirical study conducted in the Himalayas has been able to establish these kages. A study conducted on 1976 in the Dehra Dun region on paired basins indicated that reforestation significantly reduced annual as well as peak stream flows. It is unlikely that infiltration, soil moisture storage, and ground-water level will decrease due to reforestation alone. Almost all studies conducted on the hydrologic effects of forest removal have shown increase in low-flows. Deforestation if accompained by soil compaction however, have different results. To understand the hydrologic impacts of various land-uses in the Himalayas, hillslope and catchment hydrolostudies such as soil property investigation, plot studies, paired catchment experiments, evapotranspiration assessments and water balance demonstrations should be undertaken.

Till now there exists considerable uncertainty regarding the influence of land degradation on sediment loads of major rivers compared to the contributions made to the sediment load by natural slope processes and catastrophic events, that

contributed to by human activities are insignifi-However, proper management of land is impocant. rtant to maintain soil productivity and slope instability. But proper management can be brought about only after a thorough study of natural human processes acting in the Himalayan region is studied. Due to the lack of this, experience from other areas have been applied. However, these have failed to account for the extreme rainfall, relief and erodibility witnessed in the Himala-There have been numeurous cases where meayas. sediment loads of streams and reservoir sured sedimentation rates have been much higher than the estimated values.

Besides, intensification of forestry can mean different things to different people. It may be to increase provision of forest benefits. But for what? To answer this we need a clear forest and land-use policy. This is a political process and beyond scientific, technological and economic parameters. Often forestry activity is in a policy vacuum. However, it aims and potential impacts

<sup>16.</sup> Kattlemann, R., 1987: Uncertainity in Assessing Himalayan Water Resources; Mountain Research and Development, 7(3), 279-286.

require to be studied before hand. Our choices and priarities should be clearly mentioned. essential to know whether we desire quantity or quality of forest products; whether we should go in for monocultural plantations or mixed species forests; or whether we should go into forestry activities for commercial or subsitence purposes. It should also be considered for what purposes we need forests - for fodder, fuel, timber, manufacturing, or for checking situation. These needs have to be established qualitatively and quantitatively. Besides we should study the rate of biomass production of various regimes. Also, if it is for subsistence purposes, we should achieve proper linkages between development activities and local knowledge and support.

Though deforestation per se might not lead to flooding and increased sedimentation downstream, soil erosion in many Himalayan areas is attaining increasingly menacing dimensions. According to some estimates, the annual average soil loss from -1 -1 the Himalayn hills is around 28.2 tonnes ha

<sup>17.</sup> Griffin, D.M.; 1987: Intensified Forestry in Mountain Regions; Mountain Research and Development, 7(3), 254-255.

The annual silt load of Karnali catchment is around 75 mi.cu.m. which is equivalent to a 1.7mm thick layer of soil spread over the entire catchment. Besides, the Kasi and the Ganga rank at the top of the World's greatest sediment carrying 18 rivers.

<sup>18.</sup> Naraya, V.V.D.; 1987: Downstream Impacts of soil Conservation in the Himalayan Region;

Mountain Research and Development; 7(3), 287298.

## CHAPTER 4

## CHANGING MAN - LAND RELATIONS IN THE HIMALAYAS

To start a discussion on man - land interactions in the Himalayas it would be rather essential begin with a preliminary overview of the cultural disparity and geographical diversity of the region. The ruggedness of the Himalayas and its varied climates have affected population distribution by biting communication in ancient times, and has thereby caused cultural isolation and differences among Variation in climate and terrain inhabitants. have necessitated variation in cultural adaptations. This has resulted in the region's varied ethnography. The Himalayas can be broadly divided into four cultural regions, ie., Hindu(Indic), Lamaist Buddhism (Tibetan), Islamic (Afghan-Iranian), and animistic It is thus clear, that cultures mig-Asian). rated into the Himalayas from South, North, West and East, thereby making the Himalayas into a complex cultural area.

Generally, the Indic culture is dominant in the sub-Himalayas and the Middle Himalayas. To the north

<sup>1.</sup> Areas within which life-styles are generally distinct and homogenous.

of this in the High Himalayas the Tibetan cultural region exists. In an area from 6000-8000 ft (1829-2439m) and in some places even upto 10,000 ft (3048m) altitude in Central Nepal, the Indic and Tibetan cultures have intermingled to form a distinct cultural region. Elsewhere these cultures meet directly without a transitional zone. People of Western Kashmir have Afghan - Iranian cultural traits, and those in the eastern Himalayas show traits of S.E.Asian culture (Karan, P.P.; 1987).

Geographically the Himalayas can be conveniently divided into three macro-regions from South to North, with each region having its distinct man-land characteristics. The piedmont plains or Terai accounts for only 10% of the Himalayan area, but as much as 35% of its population and nearly 70% of its cultivated area. The Middle Mountains with its several large valleys accounts for around 60% of the area, 55% of the population and 28% of the cultivated area. In this region, the population density is high and per capita cultivated land extremely low. The high mountains constitute 30% of the area, but account for only 10%

Karan, P.P; 1987: "Population characteristics of the Himalayan Region", <u>Mountain Research</u> and <u>Development</u>, 7(3), 271-274.

the population and 2% of the cultivated Though cultivated land per capita in this region low, the people have supplemented their incomes through traditional activities such as livestock rearing and trade, as well as such modern day activities as tourism (Karan, P.P.; 1987). However, the closure of the border with Tibet in the 1950s brought an end to trading activities, and with it the traditional way of life of many mountain people from Ladakh to Bhutan. This also meant that people of Tibetan Buddhist cultures living in the Himalayas were cut-off from the intellectual heartland of their religion, Lhasa.

Mountain regions which are "regions of difficulto environmental conditions ty" due are the "regions of refuge" of cultures which have been tinuously pushed by more dynamic people from the In many areas in these mountains, people plains. have still maintained their archaic pre-industrial lifestyles. These people have adjusted demographically and socially to environmental limitations, there is little potential of expanding or intensifying human activities. To such environmental limitations and to the encroachment and incursions

lowland peoples, they have adjusted by means of defensive isolation or "encapsulation".(Goldstein, Brush, 1982) Hence, the man-land adjustment patterns in these areas, are not just an adaptation to the physical environment. This necessitates understanding of the cultural ecology of these areas. although isolation and withdrawal are Hence, the characteristics of these "regions of refuge" "encapsulated areas", its present pattern can only be understood in its linkages with the outside world. The Himalayas located on the periphery of regional and inter-regional development, thus has to be understood with the aid of the core-periphery concept Sociocultural, economic as dependency theory. well as ecological change in the Himalayas should examined on a cross-cultural basis with due consideration given to both internal and external forces.

Mountain areas have a series of altitudinal zones as niches, the resources of which can be used in different ways. To utilize the potential of the environment, (which due to environmental conditions are already limited), which are vertically stratified, man has to be mobile, eg. the practice of transhumance. The economy in the mountains is basi-

cally based on pastoralism and agriculture which are separated in time and in space. The practice of transhumance could well have been due to population pressure that gradually forces people to utilize resources of higher altitudes. Population thus becomes an independent variable, which stimulates the intensive use of the environment. This is somewhat a variant of Boserup's (1965) hypothesis that population growth leads to technological change. However, economic activities in the high altitudes Himalayas reached its zenith with the practice of transhumance as well as trade when Tibet was a buffer in the "Great Game" between Great Britain and Russia. This has presently declined following the take-over of Tibet by the Chinese and the delineation of more or less well-defined borders between the neighbouring countries.

The altitudinal zonation of mountain ecosystems facilitate different economic activities - a high-altitude zone of extensive pasturing, a lower zone of unirrigated farming of tubers and hardy cereals, and a zone of intensive irrigated agriculture. Such zones could be adapted for human use in atleast two ways: (1) by an extended family or a group in diffe-

rent seasons, or (2) by particular groups which exploit resources of a single zone but exchange products with groups utilizing other zones. However, it should be mentioned at the very outset that such manland adaptations are basically ideal types, and have been profoundly modified or remain only as vestiges, and actual adaptations can be varied and complex. Besides, as in the Himalayas, apart from altitudinal variations, regional variations in resource availability and use are also important. There are innumerable examples of varied ecological niches produced by micro-climates or accidented terrain, eg. north and south-facing slopes, rain-or-snow-shadow slopes, etc.

Such types of land-use is essential in these areas where level land is at a premium. However, it might be wrong to assume all such adaptations as a result of population presssure, as it can very well be a strategy in minimizing risk in a difficult environment, as crops can be destroyed by freak snowfalls, hailstorms and cold spells. Such a system also ensures a balanced spatial and temporal division of labour, as peasants are often concerned at maxi-

mizing labour input besides increasing productive 3 output (Skeldon, 1985).

An analysis of the breakdown of these systems is difficult to attempt, as that might imply that prior to the process of breakdown there existed a stasis or an equilibrium in man-land relationship. However, if at all the life-styles of mountain peoples was changing it was doing so very slowly. This was changed with the arrival of the Europeans radical changes occurred. The pace of transformation has been particularly rapid during the present centu-Infant nation states were gradually born when ry. the colonial powers withdrew. However, the process of transformation continued unabated, and in fact was intensified. Mountain zones, like other buffer zones were incorporated within more or less precisely defined borders, and political pressure was used on areas to bring them effectively under central It became necessary to defend these areas, control. as well as to dampen any secessionist activities, (if they existed), as they threaten the integrity of the

<sup>3.</sup> Skeldon, R.;1985: "Population Pressure, Mobility and Socio-economic change in mountain Environments: Regions of Refuge in Comparative Perspective", Mountain Research and Development, 5(3), 233-250.

infant nation states. Besides, various "development" activities were initiated in these areas to draw these people into the mainstream. Such changes resulted in population growth in these areas due to both internal and external forces, the former due to population growth of the indigenes, and the latter due to migaration of lowland people. However, these processes are inter-related and cannot be understood singly, as external forces can influence internal processes, eg. modern scientific farming practices and modern medicines are important in influencing the population growth of indigenous people.

Many high mountains though densely populated were, until recently, relatively secluded areas, and their external relations with the mainstream cultures of the lowlands was only partially developed. The socio-economic integration of these peripheral areas started with labour out-migrations due to increasing populations and subsequent pressure on land. With integration came the flow of income, goods, and 4 services.

It is convenient to understand these processes in the light of Friedmann's (1966) centre-periphery model and Zelinsky's (1971) mobility transition hypo-

thesis. Mountain areas are peripheral to the overall system. There are few large cities in these areas, and even if present have limited spheres of influence in intermontane regions, eg. Srinagar and Kathmandu. However, these mountains have within them different levels of peripheral locations according to transport and communication development.

Theories of core-periphery are essentially ecoones with their abstract concept of space. is considered as a homogenous socio-economic field, but the components of physical and ecological forces, which are refelected in the degree of accessibility, communication, settlement, and the importance of historical process have not been considered. For our present discussion it would be helpful if the periphery as "to include those relatively less-developed regions which, together with dynamic urban centres, form a spatial system which depends politically and economically on the centre and receives innovative impulses from

to the 4. This, however, is not fully applicable the there European mountain areas, as accomplished integration much process was earlier.

it".(Grotzbach., E., 1984;pp.230).

Friedmann(1966) distinguished the four stages of development as: pre-industrial, transitional (with incipient industrialization), industrial maturation, and post-industrial. The pre-industrial spatial structure is characterised by small independent local centres with no hierarchy and weak interaction. areas existed in high mountain areas as in the mountains of Central Asia. According to Zelinsky (1971) such a pre-modern transitional society there During the second stage of incilittle migration. pient industrialization a single strong centre emerges together with an emerging periphery. This centre becomes the focus of mass immigration, in the early transitional society of Zelinsky (1971). This also results in the creation of regional imbalances. increased mobility of labour according Friedmann (1966) is important as it brings the mobile factor of production, i.e labour, towards the centre. Such cases are predominant in many mountain areas of the developing world. In the next stage of indusspatial structure there develops a single na-

<sup>5.</sup> Grotzbach, E.; 1984: "Mobility of Labour in High Mountains and the Socio-Economic Integration of Peripheral Areas", <u>Mountain Research</u> and <u>Development</u>, 4(3), 229-235.

tional centre but many large peripheral subcentres together with the reduction in the size of the periphery. In this late transitional society there is declining but still a major migration towards the centres. In the penultimate post-industrial stage all parts of the state are functionally integrated. In such an advanced society migration is largely inter- and intra-city together with an increase in commuting and tourism, as is the case with mountain areas in Western Europe.

The Alps and other mountain areas in Europe were integrated into their regional economic systems very early due to the mobility of labour, the prosperous transit trade, and the development of transport networks. Heavy out-migrations from some over-populated areas exceeded the natural growth of population. Besides, the carrying capacity of the mountains increased considerably due to employment opportunities in tourism and industry. In comparision, in the mountain areas of Asia, Africa and Latin America the pre-modern stage continued upto the middle of the 20th century. Mobility though it existed, it was on traditional lines. The integration of these areas started with the more or less exact boundary demarca-

tion between neighbouring nation states. This brought about a population explosion in these due to improved health care facilities. The population pressure on land thereby created, eroded the self-sufficiency of these areas. As a result. supplement incomes migration to neighbouring cities began in a big way. Incomes were supplemented working in industries, in irrigated agriculture in the lowlands, and even by joining the armed forces as in Pakistan, Garhwal, and Nepal. The in-remittances created a "money-order economy" in many areas resulted in a monetised economy in the mountains. is to be noted, however, that such migrations can be temporary, quasi-permanent, or permanent, depending on the socio-economic factors of regions and indivi-Due to the presence of quasi-permanent migration, Friedmann's and Zelinsky's stage models have only limited validity in this case. Grotzbach (1984) has thus introduced four types of mobility processes densely populated mountain areas which have a for long history of human habitation. These are not evolutionary stages in the strict sense.

<sup>6.</sup> This aspect has already been discussed at length in the previous chapter, and so does not require a repetition here.

Grotzbach's (1984) Type 1 includes a quasistatic agricutural system. There are few external contacts but strong intra-montane mobility. This is a pre-industrial type and is today present only in relics. His Type 2 is agricultural with supplementanon-agricultural income. This is the dominant type in the Himalayas. Due to increasing pressure on land, people are forced to out-migrate leading to high inter-montane mobility. Incomes are supplemented by temporary migration for work. Besides, return migration there is also mobility towards the mountains essentially in the form of tourism. Type 3 is agricultural-regressive together with a decaying This is prevalent in the industrialized periphery. in the Southern Alps and parts of countries, as Pyrenees. Because of the lack of alternative employment, there is large-scale out-migration, which in many cases has resulted in declining population these areas with a predominance of aged people. This also results in a decrease in agricultural land lization and mobility. Some out-migrants do come back for vacations or to spend retired life in these Type 4 is dynamic with non-agrarian incomes areas. dominating. This is the case with highly developed mountain areas as in large parts of the Alps,

partly so for some parts of the Himalayas, for example the Khumbu area. Mass tourism and commuting has become important in such areas. Though permanent migration in these areas continues to be important, it is largely to the numerous urban centres that have developed in the mountain areas themselves. Inmigration from the lowlands is also significant locally which is primarily connected with tourism. This type of mountain areas have become fully integrated into their regional systems (Grotzbach, 1984).

Population growth and changes in adaptation patterns of local land-use are directly related. The pressures of population on land has been one of the intractable problems in many developing coun-This is so in many mountain areas too. tries. dle mountains in many parts of the world were bited very early, due to their relatively diseasefree environment, conducive climate with reliable and often high rainfall, usually fertile soils, protection they provided against intrusions. past population explosion in these areas was lly the result of immigration from adjacent lowlands.

<sup>7.</sup> Grotzbach, E.; 1984: op cit; 229-235.

In the last century with increasing pressure on land in these areas, however, the movement has been reversed. This is the case in the Himalayas as well as in many other mountain areas of the world.

For a long time population growth for Nepal was around 1% per year. With enough land still uncultivated , more food could easily be produced by converting forests into arable land. However, in the preimproved health care reduced the sent century, mortality rate from 38.0 to 16.6 per thousand between 1951 and 1985. However, with fertility remaining almost unchanged, population growth increased to around 2.7% per annum, and is expected to be around 3% per annum by 2005. Nepal's population has thereby grown from 8.3 million in 1951 to 16.7 in 1985 and is projected to be around 30 million by 2005. 1901 and 1981 the population of the entire Himalayan from Kashmir to Arunachal Pradesh tripled from million to over 33 million. Present estimates place it at 50 million. With the economy growing slowly, most of this growing population had to accomodated in the agricultural sector, with already households in Nepal in 1985 being dependent agriculture.

There are two possibilities to feed this growing population, i.e., either to increase the area under cultivation by converting forests into farmlands, or to increase the intensity of cropping. However, the first option is greatly limited. Though Nepal has about 730,000 hectares, (in addition to the present cultivated area of 2,410,000 hectares), that could be brought under cultivation, there are other con-Forests cannot be entirely done away with straints. 90% of Nepal's energy demands are met though the combustion of biomass. Besides. forests are essential to provide fodder and forest litter to supply organic matter to arable lands. In such areas where little inorganic fertilisers are in use, each hectare of cultivated land requires to be supported by 2 to 4 hectares of forest land if soil fertility is to be view of these constraints and also maintained. In area that will be lost due to considering the increase in the area under settlements and roads, is estimated that only another 160,000 hectares could be converted into farmlands, i.e., only 7% of present cultivated area. Hence, the second option of increasing the intensity of cropping should be looked into. Over a period of two decades between 1965 and

1985, cultivated area increased by 31 % from 1,840,000 to 2,410,000 hectares, and the annual croparea increased by 100% from 1,995,000 ped 4,002,000 hectares. This means, that the cropping increased from 108% to 166% over the intensity However, yields have not increased, and it period. be looked into urgently this that needs to (Hrabovszky, J.P. et.al; 1987) .

The ultimate resource to increase production is technological change, which will mean imports of some maufactured products and other inputs. However, at present this is not much in evidence in Nepal with only 4% of total plant nutrient replacements being provided by inorganic fertilisers and with only 10% cropped area under improved crop varieties. Under such conditions when land resources are limited and technology stagnant, societies adapt in different ways. In Nepal, as in many other mountain areas it has been through out-migration. Population from the Middle mountains have gradually been moving into the

<sup>8.</sup> Annually cropped area/cultivated area x 100.

<sup>9.</sup> Hrabovszky, J.P; and; Miyan, K.; 1987: Population growth and Land-use in Nepal "The Great Turnabout;' Mountain Research and Development, 7(3), 264-270.

intermontane valleys and the Terai. This migration is both rural-to-rural as well as rural-to-urban. However, migration also takes various forms such as seasonal, temporary, single person, group migration, etc. Though generally the Nepalese used to migrate to India in search of employment, in recent years there has also been an increasing Indian immigration in the Terai and the urban centres of Nepal.

It is necessary to intensify land-use forms only in agriculture, but also in grasslands and forests. Agricultural areas for this purpose may differentiated into high or low potential areas, with good or bad accessibility. In areas of access, primarily reliance need to be placed on local inputs, with the produce primarily meant for local consumption. However, some cash crops can also be Cultivation in areas with good accessibility and irrigation facilities should be intensified, high yielding inputs utilized. These areas require to produce a marketable surplus required by urban populations, agricultural processing tries, and for exports. This activity will be primarily in the Terai, however, with improvements life-styles and increasing urbanization the middle

mountains will also be important due to growing demands for fruits and vegetables. This can considerably relieve the pressure on marginal areas which can be utilized for less degrading activities such as tree-crops, pastures and forests.

Grasslands are presently under uncontrolled grazing practices by low productivity animals also suffer from high morbidity and mortality. slands are to be properly managed, besides, higher pproductivity animals need to be introduced. ltural by-poducts for animal feed can be better utilized, for example through straw treatment for better digestibility. Soil fertility can also be increased by growing short-term leguminous fodder crops. ver, due to the great demand for foodcrops this will limited. Measures should also be taken to limit numbers to the absolute minimum. Forests should be categorized and managed likewise. Forests with protection function need to be preserved, commercial forests should be optimally utilized, community forests should be maintained to provide maximum sustainable output for the local people's diverse needs. Thus, all types of land-uses need to be utilized more intensively. Land-uses should be

the most productive as well as the least degrading. The most productive and least degradation-prone areas need to be utilized intensively, so that pressure on original lands is reduced, and so that these lands can be put to appropriate non-degrading uses. It is also very essential that we appreciate and understand better the various linkages in this system. ture depends on animals for motive power, and animals depend on forests, grasslands and crops for fodder. Livestock also influences forest regeneration (negatively) through grazing and lopping in forest However, forests are the ultimate providers they provide land for cultivation and grazing, fodder, litter, timber and fuelwood. (Hrabovszky, J.P. et.al., 1987).

With large-scale migration into the Terai there are going to be major changes in the regional distribution of population in Nepal. Changes in land-use will also occur due to an increasing population with a subsequent lowering of land per person ratio. It is estimated that per capita cultivated area will decrease from 0.14 hectare in 1985 to 0.09 hectare in 2005. Though cropping intensity will increase from

<sup>10.</sup> Hrabovszky, J.P; et.al; 1987; ibid; 264-270

182% over the same period, the annually cropped area per person will decrease from 0.24 to 0.16 hectare per capita. Yield increases will account for 90% of the increase in output and fresh under cultivation will account for the remaining. Increases in yield will be largely due to the extenirrigated area. It is to be noted, about 45% of the final total cultivated area of Nepal can be irrigated. At present only one-third of this potential is being utilized. It is also important to note the balances between production and requirements of food by ecological regions. The Middle Mountains and High Himalayas will show an increasing deficit. Though this can be met by the Terai surplus, the actual transfer of food might be difficult (Hrabovszky, J.P. et.al., 1987).

The grain availability position for Nepal showed a surplus of 66,921 metric tons in 1971 and a deficit of 108,278 metric tons in 1981. In 1981 the Terai was the only region with a grain surplus and even there it was predicted to be eliminated by 1987. In the Middle Mountains, the deficit of 70,697 metric tons of 1971 increased to 123,755 metric tons by

<sup>11.</sup> Hrabovszky, J.P.; et.al; 1987; ibid; 264-270

1981. This has resulted in the requirement of food However, local food deficit and increased aid aids. may as in Africa, have negative effects such as corruption, distribution problems, decline in maternal and child health due to decline in self-reliant agriculture, etc. Hence, outside agencies can aggravate problems by denigrating traditional society, like for exa mple, by monetising a traditionally non-monetised eco nomy and encouraging modern consumption patterns. This might cause unwise changes from tradition. For instan ce, the Magars used to bridge food deficit in the months preceding the monsoons by consuming forest pro ducts such as yams, berries, and hunting and fishing. Monetisation of the economy and the shrinking of forests has created difficulties. Now, during this period the Magars fall into debt. For instance, 90% all debts in Nepal are for consumption items interest rates are as high as 32%. In Middle Mountains an estimated 35% of households are in debt. These debts are in stark contrast with those of a tra ditioinal society where it is a redistributive mechan ism, and is a prerogative of rank (Pitt, S.C, 1986).

<sup>12.</sup> Pitt, D.C.; 1986; "Crisis, Pseudocrisis, or Supercrisis: Poverty, Women and Young People in the Himalaya. A survey of Recent Developments", Mountain Research Development, 6(2), 119-131.

Outside interference has been most severe and traditional resistance least effective in the environmental field. This has been as traditional tenure rights for common lands were not clearly marked. This made exploitation by external agencies easier. This also brought about a demise of traditional ecophilosophy, which is as fragile as the environment itself. Earlier forests provided many resources such as herbal medicines and foodstuffs. However, with the introduction of modern medicines and foodcrops, forests were increasingly felled to provide primarily for fuelwood needs.

If we have a look at some figures for Nepal then the picture certainly looks bleak. Nepal ranks 5th to last in the list of LDC's ranked according to GNP per capita figures compiled by World Bank for 1981. The agricultural production growth rates during 1960 to 1979 was 1% per annum. Infant mortality rate was 145 per thousand in 1982 compared with the figure of 87 per thousand the average for low income countries in 1981. The literacy rate for 1984 was 24% and only 9% of the population had access to safe drinking water. However, these figures have limited relevance under the present circumstances. GNP as an indicator of

poverty, or even development, includes only quantifiable elements and the entire sustainable economy is virtually excluded. Due to this reason it is quite meaningless especially in Himalayan states where the subsistence and non-monetised economy is substantial. An estimated 70-80% of the total production in Nepal is accounted for by the subsistence sector. Physical quality of life indices are also not fully representative, as not all births and deaths are registered. Besides, concepts like literacy are ethnocentric and have little relavance in oral cultures(Pitt, D.C., 13

Such figures can be interpreted variously to arrive at different conclusions. Hence, according to some the Himalayan region is experiencing a crisis, and according to others the crisis is more apparent than real. To understand the problems in the Himalayas statistics are not overtly helpful as the aggregate data, are site- or time-specific, and by themselves do not explain the causes and the dynamics. Population growth is often said to be responsible for increasing poverty. This might be a gross over-simplification, as it is a social product condi-

<sup>13</sup> Pitt, D.C.; 1986; ibid; 119-131.

tioned by the economic and social structure. Population growth may be a symption of the system and not a cause.

However, it is to be recognised that contemproaland-use in the mountains has undergone largescale changes due to external interventions. Migration, mechanisation, and modernisation brought about largely by the the construction of roads have integrated formerly remote areas. Commuting, tourism, and short-term migration have altered the traditional circulation pattern which was related to terrain limitations. Such accessibility has enabled farmers to free themselves from the need to be self-sufficient, but rather engage themselves in monetarily more lucrative activities. There was no longer the need to grow foodgrains and grass became the principal crop with the growth of animal husbandry and Besides, in many areas various types of dairying. plantations became important. Abandonment of farms in inaccessible areas and migration enabled consolidation of farm holdings. Hence, the tiered belt model of mountains became obsolete.

<sup>14.</sup> This is particularly representative of the Alps. However, such processes at varying degrees are underway in most other mountain areas.

Such a relatively simple technological operation of road construction has been responsible for many of these changes. In this connection it can be mentioned that most mountain roads built in south have not been built for economic development but for political-strategic purposes because of the belligerant attitudes of contiguous nations. However, whatever the reasons for construction, mountain roads have major economic-ecological impacts. Nepal is the only country in this region which has not gone in massive mountain road construction as neighbours. reasonably amicable relations with the Ironically, the same country has suffered tremendours environmental damage! In Afghanistan, Pakistan, and India these roads have acted as arteries to relieve excessive pressure on land through large-scale outmigration. Thus, instead of a growing low level intensity of mountain land use, there has been increase in its intensive use. This has been possible with the introduction of new crops and the facilities and ease of marketing crops which cannot grown in the lowlands in summer. In the case of Nepal an increasing population has increasingly resorted to plundering the forests for resources. only when the law of diminishing returns has

fully operative, there is a noticeable trend of out-15 migration (Allan N.J.R, 1985)

People in Nepal's mountain areas traditionally had a complex pattern of movement based on tradeexchange of Tibetan rice for Nepalese grain. With the closure of the border this trade has been terminated. Also the construction of roads from the lowlands has made possible the distribution of salt from the south. However, such "development" has also irreparably damaged the economic basis of people of high-altitude areas such as Huma l and Muqu (Haimendorf, 1974), as all have not been as fortunate as the sherpas of Khumbu who have found an alternain the tourism and mountaineering business. tive Some villages earlier dependent on trade have recorded population decrease, for instance, the population of Tukche in the Dhaulagiri zone declined from 495 in 1962 to 223 in 1976 (Haimendorf, 1981). People practising transhumance now move their flocks to the lower hills rather than the higher altitudes. These

<sup>15.</sup> Allan, N.J.R.; 1985: "Periodic and Daily Markets in Highland - Lowland Interaction Systems: Hindu-Kush-Western Himalaya", in Singh, T.V. and Kaur, J.(eds): Integrated Mountain Development; Himalayan Books, New Delhi, 239-256.

people who earlier identified themselves as Bhotias, as distinct from the people in the Middle hills, wish to be identified with the main hill-groups such as the Chhetris and Gurungs. In Nepal there has been progressive physical and psychological movement downwards from the high altitudes. The Gurungs in the 19th century were high-altitude pastoralists besides carrying on trade with Tibet. However, since the beginning of the present century they started to move down into the Middle hills and have since become sedentary rice cultivators. But it is also to noted that the cessation of warfare after the 19th century added to population pressure on land, thereby necessitating intensification of the economy. However, at present, these Gurung villages are facing problems of land availability due to their natural increase, the continuing immigration from higher altitudes, and the decline in army recruitment (both British and Indian armies) This situation might worsen and thereby increase umemployment, inequality, malnutrition, landlessness and ecological imbalance (Mac Farlane, 1976)

Though the Sherpas have prospered due to tourismrelated activities, they have suffered internal dis-

ruptions. Tourism being more lucrative, agricultural production has received less importance and hence is longer self-sufficient. Besides. tourism added to deforestation. Traditional practices of limiting fertility have broken down and has led to population increase and land fragmentation in areas. (Goldstein, 1981). In other areas, birth rates have become lower than death rates as even porters can earn substantially during the and mountaineering season (Pawson, 1984). Besides. the attitude towards the environment has shifted from long-term conservationist to a short-term exploitative one. As in the Alps, the Khumbu area also shows depopulation in the more isolated areas and population increases in the tourist centres. A stage-wise migration can be seen in Nepal, from the high-altitudes to the Middle hills, the Terai, and the urban centres. Gradually Nepal society is becoming a predominantly lowland-urban one. The situation in the Middle hills is the most precarious with increasing population pressure and environmental degradation. Such crisis can possibly leave the hills in Nepal as areas of remanent cultures and wasted landscapes.

<sup>16.</sup> Skeldon, R.; 1985; op.cit; 233-250

The Khumbu region underwent a rapid transformation from subsistence to a cash economy together with substantial improvements in living standards. This been due to the influx of tourists the region. Between the early 1970s and the 1980s the annual number of tourists visiting this ares from a few hundred to over 5000. However, much of the environmental damage hitherto attributed to tourist - related activities actually had started before the increase in tourism. It was due to the introduction of potato in the late 19th century allowing more population to be supported on the land than that was possible from traditional roots and tubers. With this increased requirements for fuelwood and construction timber increased, thereby reducing the earlier thick juniper forests to a combination of grasses, dwarf junipers, and dwarf rhododendrons. Regeneration of forests was made difficult due to increased need for agricultural and grazing land.

The establishment of the Sagarmatha National Park at Jorsale in 1976 has been very effective in monitoring tourist flow and activities. This has also enabled to enforce strict regulations on incoming outsiders to bring their own cooking materials.

Besides, with a declining population growth rate in the area, (as has been occurring) the demand for fuelwood is likely to lessen. An average Sherpa household in the area consisting of 8-10 persons kg of firewood daily, which at the 25 population level works out to be 2781 tons annually for the entire population. This is below the mated yield of commercial forests of the area which is 5126 tons. The development of hydroelectric power the area will further decrease demands on fuel-The area has an estimated hydro-electric power potential of atleast 11.84 x 10 KWH per year, which is equuivalent to 1.38 million metric tons of coal.

It is also to be noted that there are few signs of widespread erosion in the Khumbu region due to excessive wood cutting. Damage has been mostly caused by natural geologic events such as the glacial lake overflow near Dablam in 1977. Erosion has been greatly controlled due to the growth of shurbs such as Cotonoeaster microphyllus, Rhodendron setosum, and R.anthopogon that finds the topsoil. As regards environmental degradation, more important than tourist-related fuel use has been waste disposal, which despite stipulations on waste removal by visitors has

increasingly led to many areas being covered by litter and many streams become polluted (Pawson I.G, 17 et.al.,1984).

Besides, it should be noted that the impact of in the area has varied from village to tourism village, with maximum development in Namche Bazar the focal point of tourist traffic, with numerous tourist grocery stores, a bank, and a telegraph office. In contrast, villages away from the main trekking routes have changed little, with considerable depopulation in certain areas, eq. the village of Thami which is located along the main trail to Tibet across the Nangpa La. However, with the Chinese government considering a partial opening of these old trading routes, it is possible that even this area will gain in economic significance.

Concern has invariably been increasingly for the physical environment and the social environment has been neglected. Despite the remoteness of these areas the social structure of these people have been

<sup>17.</sup> Pawson, I.G.; Stanford, D.D; Adams, V.A. and Nurbu, M.; 1984; "Growth of Tourism in Nepal's Everest Region: Impact of the Physical Environment and Structure of Human Settlements", Mountain and Research Development.; 237-246.

greatly transformed, together with an increasing dependence on exogenic forces. Like the Khumbu region, M.C. Goldstein (1981) has brought out very well the effects of exogenic forces on his study of the Tibetan population of Limi in northwestern Nepal.

Limi has a Tibetan population and the population traditionally practised fraternal polyandry, though there was no rule of primogeniture and each male member of a family could demand his share of However, generally younger brothers did not separate as it was not economically viable to set up an independent family. However, due to the Chinese occupation of Tibet several changes occurred. In 1960-61 many Tibetan nomads crossed over to Limi with their herds to seek refuge in India. Limi is the southernmost point before the monsoonal alpine zone. Hence, the nomads were forced to sell their herds and many animals were simply abandoned. Many in Limi acquired substaintial herds and hence a new economic This allowed for land fragmentation and resource. population increase.

The Limis traditionally traded with Tibet, but with the Chinese occupation this was restricted, forcing the Limis to try their luck in the markets of

Kathmandu and India where they found that their beautiful wooden eating bowls were very popular and much They also discovered markets with great in demand. demand for Tibetan exotica. Following the Chinese occupation, these art items had become practically worthless in Tibet. The Limis acquired these and sold them to make excellent profits. This economic opportunity also led to separation of families.

Limis traditionally used the pastures in Tibet They use the pastures today for transhumance. paying pasture fee to the Chinese which can however paid only in exchange for goods and not in money, the nature and value of goods being decided by the Limi wood products such as bowls, saddles, Chinese. tent pegs and poles, jars, beams, pillars and planks have always been in demand in the adjacent Tibetan Traditionally house-building materials were areas. from from birch wood. But as birch tends to the Chinese demanded for fir lumber. But fir is not available in Limi, hence the Limis started cutting fir forests located on slopes three days the 18 from Limi (Goldstein, M.C., 1981).

<sup>18.</sup> Goldstein, M.C., 1981: "High-altitude Tibetan population in the Remote Himalaya - social transformation and its Demographic, Economic and Ecological Consequences"; Mountain Research and Development, 1(1), 5-18.

The impact of eogenous forces in bringing about socio-economic transformation can be cited throughout the length and breadth of the Himalayas. We can here make a brief study of such processes in Ladakh, traditionally encapsulated environment. After inde-India's border in the north-west pendence. turbulent. This required a permanent stationing of 40,000 Indian troops in Ladakh which had a population of 110,000 (Snellgrove and Shorupski; 1977). With the closure of the border with Tibet, and opening of roads and airstrips Ladakh has become totally dependent on outside forces. With a new democratic government at present in Pakistan, peace can be negotiated between India and Pakistan. However, with political stability even the military assistance will Besides. decline leaving Ladakh impoverished. the intake of Ladakhi recruits into the army may decline. Tourism can be an alternative, but that will increase dependence on outside forces, as a sudden decrease of tourist traffic, say, due to global recession, have a greater catastrophic reaction in the tourist centres than in areas which are peripheral to With the increase of tourist arrival tourist trade. 200 in 1975 (when the area was reopened to tourists) to 15,000 in 1978, outsiders (Kashmiris in

this case) have immigrated to take advantage of this lucrative business (Norberg-Hodge,1981). M.C.Goldstein (1981) has also made an interesting study in the socio-economic structure of the Ladakhi society. His study is based on the Tibetan population of 19 Keylong.

Keylong in Ladakh has 75% of the population Buddhists and 25% Muslims. The Buddhists are of Tibetan origin, and traditionally have the corporate stem and fraternal polyandrous family. Traditionally, all males could demand their share of land, the system of fraternal polyandry was the mechanism which restricted its occurrence. This prevented land from being fragmented and maintained a core of males Though many younger brothers in a in the family. family would have desired to marry monogamously, they did not do so as they did not stand much chance of maintaining a satisfactory life-style after splitting from their natal family. However, in Ladakh there was further preventive measure, that of primogeniture, i.e, only the eldest son inherited land. However, this meant that many females remained unmar-

<sup>19.</sup> Goldstein, M.C., 1981; ibid; 5-18.

ried and were systematically removed from the breeding pool unless and until they married a Muslim.

the end of World War II several changes occurred. India became independent in 1947 and primogeniture was made illegal. This gradually led to younger brothers in Ladakhi Buddhist families demand their share of family property. This led to a population explosion. Ladakhi main families are called "khang-chen" and fissiparous ones as "khang-bu". Keylong about 100 years ago, 64 Khang-chens existed which owned most of the land. But since India's independence as many as 79 khang-bus have come up. modernization in India has had devastating Thus. effects on the Ladakhi social structure.

However, though primogeniture was no longer legal, younger brothers still had to consider whether they could survive economically after splitting with the main family. A series of external forces made this possible. After independence, India abolished the jeudal corvee tax, whereby each family had to send a adult male with food and animals for four months in a year for transport services between Leh and Srinagar. This made monogamous marriages difficult. The abolition of the corvee tax thus indirec-

tly helped fission of families. Also, the conflagration between India and China in 1962 highlighted the strategic importance of Ladakh. Military bases, airfields and border roads construction started, and Ladakhi villagers obtained jobs in these activities. Many Ladakhis also joined the army. Extra resources from these new economic opportunities provided the economic viability for independent families.

The influence of electoral politics has also The Muslims in the area were oribeen significant. ginally immigrants and did not practice polyandry and primogeniture. Many Muslims also married Buddhist females. However, with the birth of parliamentary democracy the size of the population became critical factor. Most Buddhists like the Muslims had to depend upon extra incomes, and these economic opportunities are controlled by the government. voting being essentially communal the number Buddhists and that of Muslims became critically important. To prevent a Muslim supremacy, Buddhist lealaunched a major pro-natalist campaign urging ders Buddhist females not to marry Muslims and asking all males to marry monogamously and reproduce maximally. This led to the demise of fraternal polyandry.

This has led to the rapid transformation of traditional encapsulated system and has linked it with the broader world politico-economic system. The system is no longer at homeostasis. The Ladakhis now have a high population growth rate of over 2% per and declining per capita land holdings. annum. The future well - being of the society is dependent events and processes occurring beyond it, and tradinorms and values have become non-functional. This has led to ideas that the environment is exploitation and not conservation. Large inputs will required to compensate for the growing ecosystem disequilibrium.

fragility and sensitivity of high-altitude mountain ecosystems and their spiralling deteriarahas led to increasing concern for the physical However, an equally critically dimenenvironment. sion, the social environment needs to be given equal Despite the remoteness and the apparent importance. traditionalism of many inhabitants of the Himalayas, they have or are in the process of major transformations in their social structure. This is because traditional social adaptations were as fragile as the environment itself. Besides, these were functional

in an encaptulated environment. However, exogenous influences have de-encapsulated the environment and the traditional system has undergone various demographic, ecological, and economic transformations.

The sustenance of a sophisticated civilization for over 1500 years in the Himalayan region is a great achievement in human adaptation. Considering the harshness and sensibility of the environment, and the possibility of irreversible damages to the environment, this achievement is all the more impressive. This traditional ecosystem homeostasis is however in the process of disintegration due to numerous exogenic forces. This has not only caused environmental deterioration, but also social dislocation.

Despite their isolation many high-altitude areas in the Himalayas have been greatly influenced by exogenic forces which have brought about profound ecological, economic and sociological changes, and as a result has destroyed the traditional homeostatic adaptation with the environment. Modernization and

<sup>20.</sup> Encaptulation is a situation where an increase in energy production through exploitation of new areas or through intensification or exploitation of resouce use is virtually nil. Thus, the ecosystem has limited potential for energy extraction and the population has to adjust to it.

development in adjacent areas have led to instability and dependence in these areas. There has also been a disconcerting drift in the attitude of the indigenes towards the environment from that of long-term conservation and management to that of short-term exploitation and manipulation. The social matrix of these people have been irreversibly changed, and shall continue to require large-scale external inputs to balance the loss of the homeostatic system. The traditional social system is breaking down and socio-economic problems are emerging, with an increasing dependence on new resources. Such populations are under the throes of major transformations.

## CHAPTER V

## ENVIRONMENTAL AWARENESS AND CONFLICT SITUATIONS IN THE HIMALAYAS: AN EVALUATION OF THE CHIPKO MOVEMENT

Conflict situations arise primarily due to varying levels and directions of awareness and perception. Before we can discuss something on environmental awareness it becomes necessary that we try to understand how people perceive their environment.

Intense degradation of the environment loss of natural resources is having a profound and increasing impact on many societies, and especially so in the developing countries. The 1960s marked the rise of global concern regarding manland relations. This concern has generated considerable research activity focussing on environmental quality, natural hazards, resource scarcity, pollution, and development activities. This wave interest has been variously termed as environmental movement," "environmentalism," ecological paradigm," etc. Perception generally refers to images, memories, preferences and attitudes which affect human behaviour, and also help

us to explain, predict, and accomodate future 1 behaviour patterns.

Hence, environmental perception research is an inter-disciplinary field encompassing psycholosociology, anthroplogy, architecture, and environmental planning. This has also altered the geographical perspective fundamentally by providing new ideas and techniques. Modern studies of man-environment relations are based upon a theoretical framework of cognitive psychology and environmental behaviourism, and consider that man his environment as he perceives reacts to and interprets it through his past experience knowledge.

However, as mental images of individuals are neither holistic nor monolithic, it is not easy to say whether it is possible to derive a single objective image of the environment. As regards cognitive psychology, there is a controversy about the nature of mental images of the environment. However, whether it is possible to understand or

<sup>1.</sup> Bjonnes, I.M.; 1986: "Mountain Hazard Perception and Risk-avoiding strategies among the sherpas of Khumbu Himal, Nepal"; Mountain Research and Development; 6(4), 277-292.

measure environmental images or not, it is largely correct in saying that man-environment relations reflect cognitive processes which are essential in understanding human adjustment strategies. Cognitive processes are involved in the way people conceptualize, understand, and organize their environ-It is here that culture becomes an imporment. in influencing human element behaviour. Thus, environmental perception as a discipline assumes that environmental cognitions of people may different from the "objective" world. also an interactive model in which individuals respond and shape their physical and social environments. Thus, environmental perception is necessarily inter-disciplinary, making use of various physical and social sciences.

The existence of conflicts over the use of resources is widely acknowledged, with resource management and environmental planning being largely concerned in identifying and resolving such conflicts. Conflicts arise over the nature of resource utilisation and their uses and allocations. It has traditionally been held that these

<sup>2.</sup> jonness, I.M; 1986; ibid; 277-292.

conflicts are primarily due to the scarcity of these resources. A slightly different though not essentially contradictory perspective would be to say that these conflicts are due to varying and often diametrically opposed values and decisions taken in utilising these resources. The two most contending perspective are, (1) those who believe that economic efficiency is most important and markets are the best allocative mechanism, and (2) those who consider social equity, and environmental conservation to be more important. It should however, be mentioned that these two perspectives are not always irreconciable.

Before we embark onto discuss conflicts over resource utilisation, it would be useful if we clarify what we mean by "resource". The word "resource" implies something that is useful to humans. Hence, an element of the natural environment becomes a resource only once we recognise its potential or actual utility. There should also be the technical know-how to extract and utilise it in an economically feasible manner. Besides, a

demand for it or services rendered should be pre-3 sent.

It is also imperative that we understand the idea of a resource base. Variations in our conception of resource occur in time and with changes in scientific knowledge and technology. gradually our resource base gets widened. within a society different groups and individuals perceive resources in different ways. Cultural diversity also results in different cultures placing different values with regard to resources. However, the greatest potential conflicts located in such areas where groups with conflicting interests and differing cultural origins require the same resources. This is the case Himalayas where the superior external politithe and economic powers have been able to subjugate the indigenes.

However, even within the same cultural group attitudes towards resource use can differ. This is primarilly because of differences in ideologies

<sup>3.</sup> Cocklin, C.;1988: "Environmental Values, Conflicts and Issues in Evaluation"; The Environmentalist; 8(2);93-104.

between individuals. An ideology is a set of beliefs and values with political intent. An environmental ideology provides an individual with guidelines to respond to environmental issues.

two opposed perceptives or ideologies The with respect to resource use are the technocentric and ecocentric ones. It should be mentioned. however, that what follows is an idealized and simplified discussion on these ideologies primarily for the sake of convenience. The hnocentrics consider man supreme to nature, mote "value-free" scientific reasoning, and believe in the over-whelming power of technology. origins of this perspective can be ascribed to the mechanistic beliefs of Bacon, Descartes, Locke, and Adam Smith. The ecocentrics have a affinity with nature and strive to maintain balanand harmony in nature. The origin of this perspective can be found in the romantic transcendental thinking of Thoreau, Catlin, Emerson, Maand Olmstead. The econcentric ideology has also been termed as Humanistic by some researchers. It is also said that technocentrics sub-

<sup>4.</sup> Cocklin, C.; 1988; ibid; 93-104.

scribe to centralised decision-making, whereas the ecocentrics emphasize decentralisation and participative decision - making.

The temporal and spatial dimensions of con- . flicts over resource use should also be considered The temporal dimension is that the as important. effects of our actions generally last over an extended period of time. Besides, some impacts have greater significance than others at points of time relative to others. The spatial dimension comes in when different impacts manifest themselves in different spatial scales. impacts may be localised, while Environmental economic benefits may accrue to the whole region. Alternatively, economic benefits might accrue to one area while the environmental and social costs are borne in another area. Both cases can lead to conflict situations.

Conflicts over the use of resources can be analysed in terms of differing environmental value

<sup>5.</sup> Miller, A;1985: "Ideology and environmental Risk Management", The Environmentalist; 5(1); 21-30.

<sup>6.</sup> Cocklin, C.; 1988; op.cit; 93-104.

individuals and groups can differ on Both sets. their perspective regarding resource use and allo-This often results in conflicts. to achieve acceptable compromises, it is highly imperative that we account appropriately for various concerns. Thus, a multidisciplinary perspective is required to accomodate disparate metrices. Though different disciplines do provide us with higher levels of understanding of particular inter-dependencies, more eclectic approaches are required in natural resource planning as it involves multi-dimensional phenomena including biophysical, economic, and social aspects. This requires us to develop analytical techniques capable of effectively synthesising all the varied aspects and arriving at an acceptable proposition.

Developmental activities are increasingly proceeding on a resource-intensive path. Contemporary societies are continuously increasing man's access to and the rate of consumption of natural resources. This has inevitably resulted in conflicts related to resource use. Both within the

<sup>7.</sup> Daly, H.; 1968: "On Economics as a Life Science"; <u>Journal of Political Economy</u>; 76, 392-406.

Himalayas and without there has been the emergence of a multitude of ecology movements which attempt to redesign the pattern and extent of the usage of natural resources and bring about social equality and environmental stability and sustainability. These movements have questioned hitherto dominant concepts of economic development.

Indigenous civilizations were sensitive natural ecosystems and well-defined social guided the management and utilisation of natural resources, thereby maintaining a state of stasis. This, however, underwent a drastic change in the Himalayas due to the demands of the colonial lers. Forests in the sensitive Himalayas were felled indiscriminately to build battle-ships or to make railway sleepers. This led to conflicts with the local people over the use of natural the Himalayas and its adjacent resources. Ιn foothills it resulted in several forest movements, which gradually merged with the national struggle for independence. However, even with the attainment of independence, there was little change in the colonial institutional framework. These newborn nation states started using the same institu-

tions and concepts though, for diametrically oppoobjectives as compared to the colonial rusite A western capitalist economic development lers. strategy was adopted to fulfil the enhanced aspirations of these newly independent nation states. However, what was not realised, was that such a process had suceeded in western Europe due to the resource exploitation of its colonies, and methods if practised by a country based on its own resources, would result in large-scale environmental instablility. Such resource insensitive development practices led to ecological degradation and economic deprivation. It is important understand this to facilitate an immediate reorientation of our development priorities and concepts. The various ecology movements are bringing to light the hitherto invisible externalities striving to internalise these into our development policies. The need has arisen to seriously consider the effects of our unlimited development aspirations based on a limited resource base on the marginalised periphery.

Bandyopadhyay, J., and Shiva, V.; 1988:
"Political Economy of Ecology Movements";
Economic and Political Weekly; 23(24); 1223-1232.

Increasing predatory exploitation of natural resources in the name of development narrowed down the availability of natural resourto the impoverished and to those sections of the population living in the partially monetised subsistence sector. Ecology movements have been the people's response to the threat to their and their vital life support systems. The best known ecology movement has been the Chipko movement of the Uttar Pradesh hills to prevent exploitation of forest resources by rapacious contractors. In the Himachal Pradesh hills ecology movements have been largely to prevent mono-culture plantations of commercial chir pine (Pinus roxburghii). Even outside the Himalayas we find such ecology movements, such as the Appiko movement of South India, the opposition by Jharin Bihar, Orissa and Madhya Pradesh to khandis tree felling, and even in the Aravallis in Rajasthan.

Besides, the exploitation of mineral resources in the sensitive watersheds of the Himalayas

<sup>9.</sup> Bandyopadhyay J., and Shiva, V; 1987; The Ecologist; 17(1); 26-34.

as in many other parts, has also greatly affected the ecological equilibrium. This has caused largescale land dereliction. Dereliction has been defined by S.H. Beaver (1945) as:

"Land which has been so damaged by extractive or other industrial processes or by any form of urban development that in default of special action it is unlikely to be effectively used again within a reasonable time, and may well be a public nuisance in the meanwhile".(10)

An important cause of land dereliction in the Himalayas is the large-scale extraction of industrial minerals. Though complete cessation of mining and quarrying to prevent dereliction seems to be the least likely means of solving the problem, it should be considered that dereliction is not an inevitable accompaniment to mineral extraction. Hence, the solution is to be found within the possibilities of conservation, management, and reclamation.

Though statistics on the volume of mineral production may be available, this alone does not provide us with any clear picture of the pattern and volume of dereliction. This is because, there

<sup>10.</sup> Wallwork, K.L. 1974; <u>Derelict Land</u>; David Charles; London.

is no constant relation between the mineral output and the amount of dereliction, as the extent and degree of dereliction, depends on the geological structure, extraction techniques, and methods of waste disposal related both to technical competence and to the economics of alternative modes of operation. The degree of dereliction due to surface mineral working depends upon,

- (1) the amount of overburden to be stripped,
- (2) The ratio of usable mineral to waste, and
- (3) the areal extent and depth of workings.

Several ecology movements in the Himalayas have opposed the reckless extraction of minerals.

<sup>&</sup>quot;Surface mineral working includes all forms of 11. mineral extraction carried at exacavations open to the sky." These words describe these mineral workings, but lack of precision in the meanings leads to ambiguity. "Quarry" normally means an open excavation slate or other `hard' building stone, with no metalliferous or combustible content. "Pit" is used to describe open workings in `soft' or unconsolidated deposits, such as clays, sands, and gravels, and originally related to their shallowness. "Mine" is used to descrive excavations working fossil fuels and metalliferous ores, frequently with a qualifying adjective, eg.opencast mine, strip mine, patch mine, etc. Both pit and mine are terms also applied to underground mineral workings'. (Wallwork, K.L; 1974; ibid.).

The most successful of them has been the movement against the quarrying for limestone in the Doon valley. The movement succeeded to bring about a major Supreme Court order to restrict this quarrying. However, such successes are rare and rampant mineral exploitation continues in many parts of the 12 Himalayas, such as Almora and Pithoragarh.

Another threat to many areas in the Himalayas and in many other similar sensitive watersheds, is the construction of large river valley projects. This results in large-scale submersion of forests, pastures, and agricultural land, the dislocation of people and increased seismicity in the area. The opposition to the Tehri dam project in the Uttar Prdesh Himalayas exposes the possible threat large-scale destabilisation of land by seepage and strong seismic movements that could be induced Another problem faced by such impoundment. by projects is the proper rehabilitation of displaced people on a land-to-land basis, especially considering the fact that land resources are already

<sup>12.</sup> Bandyopadhyay, J.; and shiva, V; 1985: "Conflicts over limestone quarrying in Doon Valley", Environmental Conservation; 12(2); 131-139.

overused. The displaced persons become destitutes as they are rudely moved from their homes and environment, and forced to face a new economy, society, values and norms, all in the name of "development".

While discussing ecology movements Himalayas it is most essential to understand and evaluate the implications of the Chipko movement the Uttar Pradesh Himalayas. The Chipko movement meaning "to embrace the tree" was an attempt to resolve conflicts arising out of opposing deon forest resources through the means non-violent non-cooperation. The Chipko movement was initially based on the politics of the distribution of benefits of resource utilisation. ver, subequently it broadened its objective and became an ecological movement concerned with the distribution of ecological costs.

Traditionally, forests were common resources and strict informal social mechanisms kept a check on over-exploitation to ensure their sustainability. Forests were carefully husbanded and village woodlots developed scientifically by selecting

However, since the colonial times local species. management and utilisation of forests showed marked changes. The Zamindari system converted common lands into private property, thus, leading to their decimation. Thus, local demands had to be satisfied by turning to previously unused natural forests, which resulted in their degradation too. Besides, commercial demands for shipbuilding and railway sleepers aided in large-scale felling of Finally, when the need to connatural forests. trol over-exploitation of forests was felt, forest bureaucracy and reserved forests were created to conserve forest revenues and not This created conflicts betforests themselves. ween local and commercial interests as the locals were deprived of their traditional rights. sides, as the new emphasis was concerned with revenues and not with ecosystem stability, unsound silviculture practices were introduced, thereby transforming a renewable resource to a 'non-renewable one.

Forests are critical elements in the ecosystem. Natural broad-leaved and mixed forests have

been responsible in maintaining water and soil stability, thus sustaining the agro-pastoral econo my of the region. Traditional forest resources provided for:

- (1) leaves and grasses for fodder;
- (2) twigs and branches for fuel;
- (3) timber for construction and agricultural implements; and
- (4) fruits, nuts, fibres, hemp etc.

these common resources were converted into a commodity, people dependent on the forests for their basic needs started satyagrahas in the 1930s. Besides the Himalayas, they were successful in the Western Ghats and the Vindhyas. Though, the satyagrahis were brutally repressed by the British, (eg. the Gonds, and the massacre at Tehri Garhwal on 30.5.1930), finally the Tilari, movement achieved partial successes by being able restore traditional rights though the commerto cial utilisation of forests continued. Paradoxica-1ly, after independence, the ruthlessness in the exploitation of forest resources has continued in the name of "national interest", thereby, bulldozing local needs and aspirations. This has caused

destabilisation of mountain ecosystems and subsequent losses of life and property through floods and droughts. The people responded to the crisis through non-violent resistance. This was born as Chipko movement in the early 1970s in Garhwal and later spread to Himachal Pradesh, Karnataka, Rajasthan, Bihar, and Central India.

In 1850 an Englishman by the name ofMr.Wilson was given lease to exploit forests ofTehri-Garhwal for only Rs. 400. Many forests were clear - felled. Besides. forests were cleared to grow food-crops to feed the population of newly established hill-resorts. When the economic importance of forests was realised, the Tehri State took up the management of forests into own hands in 1895 and restricted their use by villagers. This resulted in many organised revolts. Small concessions granted by the king failed to satisfy the population, and contradictions between the basic needs of the people and the state's revenue requirements continued. satyagraha was started to protest against 1930 forest laws. Many satyagrahis were massacred this movement. The movement was strengthened by

nationalist movement then on in the Regions such as Saklana, the country. Badiyar-Karakot, Kirtinagar declared themselves to garh, Finally, on 1st August 1949, the be independent. Kingdom of Tehri became integral an part of 13 India.

In post-independence India the people's struggle for social justice and ecological stability was strengthened by Gandhians such as Mira Behn, Sarala Behn and Dev Suman. Sunderlal Bahuguna was influenced by Dev Suman. Some other prominent figures are Chandi Prasd Bhatt, Dhoom Singh Negi, and the folk-poet Ghanshyam Raturi.

However, even in post-independence India, conflicting demands for forest resources between the marginalised majority, and commerce and industry persisted. This brought about a progressive encroachment by public and private enterprises on the rights and privileges of people who have traditionally been dependent on forest resources.

<sup>13.</sup> Shiva, V.; and Bandyopadhyay, J; 1986: "The Evolution, Structure, and Impact of the Chipko Movement"; Mountain Research and Development; 6(2); 119-131.

The Chipko movement started with the movement of April 1973 when the people protested against the felling of ash trees in Mandal forest. March 1974, women protested against felling. Subsequently, the government stopped the contract system and established the Uttar Pradesh Forest Corporation. In June 1977 Sarala Behn planned a meeting of all activists to consolidate resistance to excesive felling and resin collection from chir pine trees. In Decomber 1977 the Adwani forests were supposed to be felled. Dhoom Singh Negi undertook a fast in the forest itself, and women quarded the forest from 13th to 20th December. The axe-men returned with the police on 1st February 1978, but each tree was quarded by three embracing volunteers. Hence, the police had to withdraw. In March 1978 and December 1978 felling in Narendranagar and Badiyargarh areas could be foiled by volunteers undertaking fasts, courting asserts, and quarding trees. All this finally resulted in Mrs. Indira Gandhi, the then Prime Minister, declaring a 15-year ban on commercial green felling in the Himalayan forests of Uttar 14 Pradesh.

<sup>14.</sup> Shiva, V; and Bandyopadhyay, j.; 1986; ibid; 119-131

The Chipko movement arose as ecological destabilisation and declining soil fertility and water resources made food imports necessary for earlier self-sufficient villages. Besides, "natural disasters" became common, such as the Alakananda disater of 1970 which flooded 1000 sq.kms and disrupted transport arteries, the Towaghat disaster of 1977, and the Bhagirathi disaster of 1978.

Commercial forestry stresses fast growth of commercial wood, thereby destroying biomass of lower commercial value, but which may be important for local demands and for maintaining ecological stability. Such silvicultural practices resulted in the replacement of ecologically important oak forests by commercially more viable conifers.

The Chipko movement is multidimensional in approach - scientific, technical, economic and especially ecological. It is not a narrow conflict demanding more local share in the immediate benefits accuring from the exploitation of forest resources. It brings this out clearly by proclaiming that the main products of forests are not

timber, resin, etc., but soil and water that subsists the local agropastoral economy. The Chipko movement is the response of a whole culture to its central problems of protecting forests, preserving culture, and maintaining livelihoods.

The Chipko movement was influenced by the Gandhian ideology ofnon-violent resistance through satyagrahas. Satyagrahas have been mystified as belonging to a political philosophy which subjective and spiritual and not objective and material. Gandhian philosophy has been misinterpreted as not dealing with the material contradictions in society. However, this is fallacious as Gandhi himself used satyagrahas to oppose material poverty and underdevelopment caused by the economic system, thereby causing contradiction between the economics of sustainable development and captalist production based on profit making. dhi did just this at his satyagrahas in Champaran, Gandhi focussed on Dandi. and Ahmedabad. fundamental contradictions in society, by trying understand the material bases of the problems faced by the invisible and mariginalised masses.

Chipko challenged the methods of exploitation based on modern values and preferences. This has been through the practice of Indian philosophy with its reverence to Nature. This has been our age old Aranya culture as put forward by Tagore. Our ancient culture sees God in Nature and in all forms of life. Gandhi highlighted the need to conserve Nature for our own well being. called for a new society where neither man nature is exploited or destroyed. He said, "the Earth has enough for everybody's need but not for everybody's greed." Chipko has germinated a devotional attitude towards the forests as are closely intertwined with the the very existence of the hill people.

Initially Chipko was based on economic considerations. Men saw that they were deprived of the benefits accuring from the exploitation of the resources of their homelands. However, men in these areas mostly migrate to the plains in search of employment. Hence, only the women face

<sup>15.</sup> Bahuguna, S.; 1987: "The Chipko-A people's Movement", in Raha, M.K. (ed); The Himalayan Heritage, Gian Publishing House, Delhi; 238-248.

the reality, and they tend to feel differntly, as it is they who have to fetch and collect fuelwood, fodder and water. Reality for them is a struggle for existence. It has been estimated by the World Bank that Newar women spend 0.69 hours daily, i.e. 6-7 percent of their time to collect fuelwood, and similar time to collect water. In Kangra district women spend '55 percent of total time collecting fulewood and water. Deforestation causes women to walk further to collect fuelwood and water wells and acquifers dry up on eroded terrain. Ιt also affects time women can devote in agriculture, as women account for 57 percent of all adult input into subsitence agriculture. The active participation of women in the movement has been an eye opener to the menfolk, as the latter gradually came to realise the critical importance of forests.

Initially, the movement was ridiculed by the elites, powerbrokers, urban people and the laboratory scientists. However, their ideas that the

<sup>16.</sup> Pitt, D.C.; 1986: "Crisis, Pseudocrisis, or Supercrisis: Poverty, Women, and Youn People in the Hi, alaya. A Survey of Recent Developments", Mountain Research and Development; 6(2); 119-131.

ignorant rural masses lack the capacity to think about their own problems was soon smashed. The movement has gradually succeeded in impressing on all, that uncontrolled over - exploitation of forests will lead us to surrendering our future posterity for short-term economic gains.

Though forests by themselves may not be as important a factor, as thought earlier, in storing water and controlling floods, they certainly are economically essential for the subsistence of the people living traditionally in forested areas. The social, economic, and cultural milieu of the Himalayas is largely dependent on the local forests which provide for fuel, food, and fodder 17 needs of the local people.

However, vested interests have mainly presented the Chipko movement as a contradiction and dichotomy between "development" and "ecological concern". The former being related to objective and the material bases of life, and the latter

<sup>17.</sup> Bhatt, C.P.; 1987: "The Chpko Movement-Strategies, Achievements and Impacts"; in Raha, M.K.(fd); ibid; 249-265.

with subjective and the non material factors, such as scenic beauty. Such deliberately introduced false dichotomies have marked the real dichotomy that exists between ecologically sound development and unsustainable and ecologically destructive economic growth. Only genuine development based on ecological stability can guarantee the continuation of life support systems of the marginalised masses and thereby ensure a stable material basis of life.

The actual differences within the Chipko movement lies in the differences in philosophical views of sunderlal Bahuguna and Chandi Prasad Bhatt.

According to Bahuguna livelihoods and economic productivity are dependent on the life support systems. Economic crises can only be solved by solving the ecological crises, for instance, by restoring equilibrium to the hydrological and nutrient cycles. Ecological rehabilitation will thus necessarily involve a temproary moratorium on commercial green felling to allow regeneration. This entails minimizing ecological costs and maxi-

mizing sustainable productivity for basic needs.

The other school of thought of Bhatt explains the Uttar Pradesh hills due to poverty in absence of processing industries and not impoverishment of the environment. accepts Hе modes of present resource use, and feels poverty has a technological solution in contrast with Bahuguna who calls for an ecological solution, as according to Bahuguna material benefits arise from lowering ecological costs and increasing productivity of natural and man-made systems. Bhatt considers that with modern scientific knowledge, productivity and material conditions of life can be improved. Production processes do not include ecological processes, and productivity is determined by technological productivity of labour According to him cooperative felling and utilising trees for local use will regenerate the Ecological limits t.o commercial economy. exploitation of natural resources are not considered by the political economy of ecodevelopment as opposed to the theory of ecological develop-This neglect of the ecological perspective ment.

in this model results in the neglect of strategies to stablise soil, water, and other natural resour-It also does not account for the impacts of economic activities, including afforestation prog-Hence, ecodevelopment aims towards rammes. distributive processes to distribute goods produced by existing resource-intensive and resourcewasteful technologies, whereas ecological development aims towards resource-prudent and resource conserving technologies, besides distributing both benefits and costs created by ecological In the latter view, productivity is degradation. not equated only with labour productivity, as an increase only in it may be counter-productive. This will lead to greater consumption of resources to produce less useful products and will also replace labour in an area which already has a labour surplus and been witnessing outmigration for a long time.

Growth for growth's sake has made human life critical in delicate ecosystems such as the Himalayas. The Chipko movement is not just trying to save the forests, but with it the entire life support systems. The Chipko movement is of global

significance, because ecological crises thereaten societies irrespective of their industrial status, hence the urgent need for a different world view aimed at creating a sustainable world.

Present day development policies are based on ideology of a linear theory of progress based the historical evolution of 18th and the century Western Europe, which has unfortunately been internalised throughout the rest of the This linear theory has made certain fallaworld. cious pre-suppositions, such as equating development with economic growth, economic growth with expansion of market economy, modernity with conand non-monetised economies with bacsumerism. kwarness. The diverse traditions of the world with their particular socio-economic and cultural structures have been made to converge onto a homogenous monolithic order modelled upon the history of their evolution in the west.

Though ecology movements are geographically localised, their impacts are broader in import.

<sup>18.</sup> Shiva.V; and, Bandopadhyay, J.; 1986; ibid.; 119-131.

are rooted in the cognitine gaps of development planning. Dichotomies in perception exists primarily due to the existence of two Every development activity requires worlds. resources, however, there is a competition for the resources between the two worlds which leads to conflicts. In such an asymmetrical competition invariably the loser is the less powerful but more populous micro-economy. The threat is either through resource transfer or resource degrada-Though, these ecology movements focus the tion. plight of the marginalised, what is of greater essence, is the fact that they make visible the invisible externalities of development based on a particular economic ideology by revealing its inherent injustice and non sustainability. bring out the dire need for justice sustainability, equitywith ecological stability.

Such ecology movements can no longer be ignored as they externalise the various adverse impacts and short-comings of our myopic exploitative development policies with short -term commercial gains as their only criteria. They question the very fundaments of politics, economics, scien-

ce, and technology which together have created the present day paradigm of development and resource The ecology movements have been able to use. reveal how current resource-intensive development programmes have ecological destruction and economic deprivation in-built in them. What great relevance is that these movements are in the process of re-defining our concepts regarding development, economics, technological efficiency, and scientific rationality. They are attempting to create a new economics for a new civilisa-19 tion.

<sup>19.</sup> Bandyopadhyay, J.; and, Shiva, V.; 1988; op.cit.; 1223-1232.

## CHAPTER VI

## ETHNOCONSERVATION: A WAY OUT OF THE IMPASSE

far discussed that Having thus а crisis situation does exist in many parts of the Himalayas, and could well be developing in other parts as well, we now urgently require to formulate a new paradigm Having acknowledged to arrest this downward spiral. the fact that present development policies have been primarily an internalisation of the linear theory of progress based on the Western European model, we now need to explore new avenues to bring about an ecologically balanced development in the Himalayas and other mountain systems of the world.

We have rather forcibly made the diverse traditions of the world with their particular socioeconomic and cultural structures to converge onto a We have fallaciously homogenous monolithic order. equated development with economic growth, economic growth with expansion of market economy, modernity with consumerism, and non-monetised economies with backwardness. We have also acknowledged the fact that contrary to our earlier assumptions, local people are certainly to a great extent highly of their environment. Their traditional life-styles

always maintained an equilibrium with the natural environment, which had guaranteed sustainability. they are not being able to do likewise at present, it because they are helpless to the more powerful economic, and political forces originating social, from outside these mountain environments. a great possibility of using local perception, awareness, and methods in regenerating the environ-Local culture need to be fused symmetrically with modern technology to regenerate a stasis level in the environment. This will necessarily require a transfer of power to the powerless and the marginalised.

Ives(1987) for instance shows how the mountain people have been made convenient scapegoats in this environmental crises. The Asian Development Bank in 1982 indicated that the reason for high soil erosion

<sup>1.</sup> Culture has been defined by E.B. Tylor (1871), as "that complex whole which includes knowledge, belief, art, morals, law, custom, and any other capabilities and habits acquired by man as a member of Society".

(MC Neely, J.A.; and Pitt, D.(eds.); 1985; Culture and Conservation: The Human Dimension in Environmental Planning; Croom Helm: London)

<sup>2.</sup> Ives, J.D.; 1987: "Theory of Himalayan Environment Degradation" ; Mountain Research and
Development ; 7(3); 189-199

was because rainfed terraces were outward rather than besides lacking a grass bund at the sloping, inward the reasons to these are somewhat edge. However, different. These rainfed terraces support maize, millet, and buckwheat that are vulnerable to waterlogging that would result with inward sloping terinward slopes would increase soil Besides. races. saturation and with the weight of the impounded water would result in greater landslipping. Also, inward sloping terraces require less labour input. This is important as during the monsoons labour input to be concentrated on irrigated fields which support This does not mean that there are paddy rice. poorly-maintained terraces in the Himalayas, as there are bad farmers just as we have bad scientists. This only suggests that, the traditional wisdom of these is more knowledgeable and intelligent had previously thought it to be, and all impacts caused by them are not necessarily negative.

It would not be irrelevant if we mention one more similar situation. During a MAB study in the Kakani area near the Kathmandu Valley during 1978-79,

<sup>3.</sup> This paper has already been discussed at length in an earlier chapter.

landscape could be seen to the be scarred with landslides. Ordinarily such a situation would invariably have drawn the conclusion that the area was on the brink of a catastrophe. However, a visit today will show a stabilised landscape reclaimed villagers through the construction of terraces. Local people have frequently demonstrated that environmental stability can often be restored through certain practices such as terracing or a temproary deintensificatioin of cultivation. This clearly brings forward the importance of ethnoconservation methods in restoring environmental equilibrium.

In the previous decades, research was and understandably so directed towards directing global awareness to the dangers of environmental degradation in the Himalayas (and other mountain areas as well). This objective has been successfully attained. Now what we urgently require today is to formulate a research design, a paradigm, that will integrate research and development, through a holistic, cognitive and evaluative process.

<sup>4.</sup> Ives, J.D; 1985: "The Mountain Malaise Quest for an Integrated Development"; in Singh, T.V; and, Kaur, J.(eds); Integrated Mountain Development; Himalayan Books; New Delhi; 33-42.

Contact with a dominant society, if allowed without precautions makes acculturation prejudical to these marginalised people. Development planning till recently has not addressed the sociocultural aspects of this acculturation process. Basic needs of these marginalised masses should be acknowledged and accomodated if these 'development' projects aim to benefit these people. The rights to autonomy, participation, cultural identity, territory, and self-determination should be guaranteed.

The fundamental way to ensure the survival of these cultures is to guarantee the continued use by them of their land resources. The sociocultural systems of these people are woven around the utilisation of the land, which is essential for the perpetuation of their way of life. It should also be mentioned here, that in such a tribal way of life,

<sup>5.</sup> Tribal people, 'tribal', or 'tribe' have not been employed in any pejorative or derogative sense, but employed to "characterize a specific type of population typically having stable, lowenergy, sustained yield economic systems", with the following characteristics:

Completely or semi-isolated geographically,

<sup>2.</sup> Unacculturated or only partially so into the mainstream,

non-literate, or lacking a script,

non-monetised or partially so,

only areas which are presently lands include not inhabited but also the lands which are used intermittently in supra-annual cycles. In many instances. such land thought to be uninhabited wastelands when have been acquired by outside agencies, the traditional human-land equilibrium systems have been severely disrupted. The impact of exogenous expansion into tribal areas have caused the decimation and even extinction of many tribal people in areas that traditionally supported greatly larger number indigenes.

<sup>5</sup> independent or only partially dependent on the national economy,

ethnically and liquistically distinct from mainstream,

<sup>7.</sup> common and identifiable territory,

<sup>8.</sup> economic base restricted locally,

<sup>9.</sup> political institutions not well-developed. (McNeely, J.A.; and Pitt, D.(eds.) 1985; ibid.)

<sup>6.</sup> Indigenous peoples have been defined by the United Nations Human Rights Commission as, existing descendants of the people who inhabited the present territory of a country wholly or partially at the time when persons of different culture or ethnic origin arrived from other parts of the world, overcame them and, by conquest, settlement or other means reduced them to a non-dominant or colonial conditions, live more in conformity with their to-day particular social, economic and cultural customs or traditions than with the institutions of country of which they now form part, under a state structure which incorporates mainly the

Neither modernity nor primitivism should be The former, however, well-intentioned enforced. proves detrimental to the oppressed societies. This can be done through a forced resettlement of people in a radically different ecological setting, or by a sudden transformation from a nomadic to a sedentary life-style, or even by determining changes in their cropping patterns, etc. The latter has often been practised on tribal reserves to promote tourism as "primitive" houses, costumes, and crafts are tourist attractions. Whereas enforced `primitivism' always damaging, elective `primitivism' can be beneficial. All cultures however primitive they may seem dynamic, and hence need to be provided with adequate conditions for their development in a natuand progressive manner. Though cultural continuity should be encouraged, the choice of whether to

national, social and cultural characteristics of other segments of the populations which are predominant".

(Clad. J.C.: 1985: "Conservation and Indigenous

<sup>(</sup>Clad, J.C.; 1985: "Conservation and Indigenous Peoples: A study of Convergent Interests", in, Mc Neely, J.A.; and Pitt, D; (eds); ibid; pp.61)

<sup>7.</sup> Goodland, R.; 1985: "Tribal Peoples and Economic Development: The Human Ecological Dimension", in, Mc Neely, J.A.; and Pitt, D. (eds); ibid; 13-32.

continue or modify traditional life-styles should be left to the tribal people themselves and should not be imposed upon them.

Acting otherwise becomes coercive or contrived, and becomes as paternalistic as the imposition of economic development. Forced economic development has destroyed many cultures. This `ethnocide' has been coterminous with the rape of the ecosystems through indiscriminate mining, forestry, and land settlement programmes. A process of coerced accultugeration only serves to create cataclysmic upheavals

<sup>8.</sup> The International Union for Conservation of Natural Resources(IVCN) Nature and has defined"traditional lifestyles" as follows : "The ways of life (cultures) of evolved locally and are based on sustainable use of local ecosystems ' such life-styles are often subsistence levels of production and are seldom a part of the mainstream culture of their though they do contribute to its country, cultural wealth". (Clad, J.C; 1985; op.cit; 47)

<sup>9.</sup> The World Bank has distinguished four stages in the process of acculturation:

<sup>1.</sup> completely uncontacted tribes,

semi-isolated groups in intermittent contact,

<sup>3.</sup> groups in permanent contact, and

<sup>4.</sup> integrated groups retaining a residual sense of tribal identification. (Clad, J.C.; 1985; ibid; 54)

within indigenous societies, thereby shattering the meticulously nurtured traditional equilibrium between man and the physical environment.

Besides. rapid social changes create other problems, such as loss of self-esteem. This may result from explicit or implicit devaluation of the traditional values and culture of these indigenous With the change in roles, role conflict and ambiguity results. New values such as independence, opportunism, and initiative are introduced, the transition to which is often traumatic. Besides, these people invariably end up as wage or debt-bondage labourers to the outsiders, and in the process become totally dependent on them. Also, due to rapid social change, the gap between aspirations and ability to achieve them widen as traditional means to achieve ends are now defunct. This leads to various social tensions.

For successful survival of these indigenous people it is essential to retain their autonomy: cultural, social, economic; and their continued control over their own institutions. Development' stratgies have invariably assumed that there were no viable institutions in these indigenous societies to

foster development, and hence resorted to large scale transfer of mainstream institutions. Besides,
the freedom to decide what to change and how much to
change have not been permitted. This has adversely
affected the identity and stability of these
societies.

The right to self-determination should be provided to these people, and the imposition of external systems are to be minimised. Only such an approach will help these beleaguered societies not only to survive but also to become a productive contributor instead of being a ward of the state. Besides, an immediate integration of these societies will only add to the numbers of the poor which is already a problem in developing societies. These societies should instead be maintained as viable and productive ones.

There always existed a sort of love-hate relationship between man and nature. As man lived off nature's resources, nature also threatened him with various dangers which concerned his very existence. Man gradually adapted himself to this situation by evolving social mechanisms and technology to allow

him to live in some sort of an equilibrium with These 'primitive' people who could live so nature. by on using so little as at the stone Age level have thus been called as "the original affluent society". People at present who continue to live at this traditional level within the limits established by the environment are called "ecosystem people". With the beginning of agriculture, however, largescale changes occurred when many favourable areas were converted into agricultural land. However, many areas expecially in mountain areas retained natural environment and their traditional ecological people. But with the industrial age, large-scale changes occurred even in these areas, as the previous ecosystem people became "biosphere people " who drew resources not from one single ecosystem, but from the earth's entire biosphere reserves. This was because the local ecosystems became closely interlinked covering the entire world.

Earlier conservation was possible as technology was at a low level, and cultural restraints restricted over-exploitation. With modern technology and increasing human needs, many areas have been severely

<sup>10.</sup> Mc Neely, J.A.; and Pitt, D; 1985: op.cit.

threatened by large-scale environmental degradation. Hence, various mechanisms and programmes have been launched to arrest this downward spiral and to bring about conservation. According to I.U.C.N.'s World Conservation Strategy, conservation has been defined as, "the management of human use of the biosphere so that it may yield the greatest sustainable benefit to present generations while maintaining its potential to meet the needs and aspirations of future generations". According to its, a threefold conservation strategy has been underlined:

- (1) maintain essential ecological processes,
- (2) preserve genetic diversity,
- (3) ensure sustainable utilisation of ecosystems.

However, cultural dimensions of conservation were largely ignored. Fortunately, this was recognised at the IVCN session at Christchurch in 1981, and the importance of cultural heritage of traditional cultures was stressed. Environmental planning should exhibit sensitivity to local needs and cultures, as traditional resource use is generally environmentally sound. One may, of course rightly argue that this is not always so. But until such allega-

<sup>11.</sup> Mc Neely, J.A.; and Pitt, D; 1985; ibid.

tions are made, it must be understood that present resource use patterns of these traditional people which might no longer be environmentally sound, could have been produced by current population pressures, modern technology, and interaction with more advanced people. It can be said that traditional conservation practices may be as fragile, if not more, as the environment itself.

it is essential that we take account of prevalent traditional knowledge, philosophy, experiences. We should also provide sufficient means to the indigenes to ensure their participation in formulating and implementing programmes. Above all, we need to ensure that benefits percolate to Neither should local people. interests compromised, nor the long-term environmental future The ultimate aim of conservation prothreatened. jects should not only be for the people, but also a maximum effort should be made to work with the people.

This has been very successfully implemented in the Sagarmatha National Park in Nepal with the assistance of New Zealand (New Zealand had earlier been very successful in managing its Maori reserves). This was made possible through a constant liaison with local people, restoration of religions places, maintaining traditional water supply schemes, retaining firewood as fuel instead of introducing other types of fuel, employing local people as rangers, revival of traditional forest-use control mechanisms, prohibiting tourists to use local firewood, etc.

Man does not interact directly with his environment. Perception and cognition(seeing and knowing) brings man together with his environment. As man is a social being and knowledge is a social product, his relation with the environment is connected through various sociocuoltural practices and institutions.

Perceptual mismatches have existed between institutions and the environment in its actuality, whose further degradation is being attempted to be arrested by the former. Most attempts try to stall further environmental degradation, however, with the assumption that forests are renewable resources and should be conserved, as they are a convertible resource. Grandiose schemes have frequently been launched but with limited success. Such programmes can succeed only when there is a shared understanding of the

problem and there is a complete understanding of the underlying causes. Such plans which are appealing at the macro-level are often not so when seen at the micro-level. This is due to institutional heterogeneity and diversity in resource perceptions. Hence environmental management and environmental planning should be formulated and implemented at the local level.

Perception is important. If for instance we distribute fuel-efficient ovens to save firewood to local people, it would be useful to the beneficiaries only if they consider the forests as a source of fresh agricultural land. This makes "appropriate technology" inappropriate. Appropriateness can be distinguished from inappropriateness only by understanding present institutions and the interrelated political, economic, and cultural processes.

It is often said that the problem of deforestation at present in the Himalayas is similar to what Switzerland faced 100 years ago. In the latter case strict forestry laws solved the problem. But will it have similar results in the Himalayan states which are climatically, politically, economically, cultura-

lly and institutionally different from Switzerland in the 1880s? A sensitivity to local contexts is essential. Our "grand designs" have often cut across several contextual boundaries to often prove counterproductive.

Such single problem - single solution approaches have often been inappropriate in a multiple problem-multiple solution situation. In a single problem-single solution approach, if the problem and the solution has been defined, then it calls for implementation of correct principles and the eradication of all misperceptions. However, in a multiple problem - multiple solution situation, a plurality of solutions is a part of the solution. This removes from contention of what is right or what wrong, but what is appropriate under what conditions and how to converge at a macro - level from plurally perceived problems.

The institution - context approach provides the conceptual framework, but needs to be brought to an implementational level. The areas in the Himalayan resource base causing most alarm are those that are communally exploited, and hence it is termed as the tragedy "of the commons". The tragedy is not inherent with the commons, but rather to our insufficient and

inappropriate institutions, and the inexorableness of forces responsible together with our powerlessness.

If the institutions were appropriate and adjusted to the Pareto optimum, then all we could have done was to wait and see if the tragedy was inescapable. However, this is not the case in the Himalayas. Though institutions are the reality and we have to work with them, fortunately they are not immutable. Thus, we need to identify feasible institutional changes and the degree to which they need to be the changes about desirable changes.

allowance has to be made to local knowledge and perceptions. Only the acceptability and adaptability by local people of new ideas and concepts will indicate whether a programme has been successful not. For instance, the attempt to introduce triticale (a wheat-rye cross) in a Nepalese village shows just that. The project conceded the necessity success from both the provider's and the receiof

<sup>12.</sup> A conceptual point beyond which any change makes one as both parties worse off than before.

<sup>13.</sup> Thompson , M.; and, Warburton, M.; 1985: "knowing whose to hit it : A conceptual Framework for the sustainable Development of the Himalaya", Mountain Research and Development; (5); 203-220.

ver's viewpoints. The former judged it a success, as and ripened well and grew on time. However. success from the latter's side would only result after its favourable comparison with local varieties of wheat. Thus, the hill farmer's satisfaction with triticale might transform the wonder-crop to another his local species. This is his contribution the development process, through his culturally biologically based knowledge and skills. Though the villager might not be the repository of all wisdom, he certainly is the respository of some wisdom.

As far as forests are concerned, we should remember that they are not only a biological entity, but to the indigenes also a social entity, as they have been semi-domesticated. But domestication is a two-way process as it requires mutual accomodation. The structure of the forest reflects the needs and preferences of the people dependent on it and the people also modify the forest according to their needs and perceptions. This is to be understood while launching any programme for reforestation.

<sup>14.</sup> Hatley, T.; and, Thompson, M.; 1985: "Rare Animals Poor People and Big Agencies: A Perspective on Biological Conservation and Rural Development in the Himalaya"; Mountain Research and Development; 5(4); 365-377.

Local knowledge and expertise needs to be elicited by a naturalist scientist who can decode local expertise and formulate his own science giving sufficient allowance to the local knowledge that he has decoded. Such a scientist can be an ethnoecologist, a cultural biologist, or a social forester. This will allow us to frame our development strategy according to a natural-cultural template.

Social movements are bound to occur whenever policies are unresponsive to them or when serious mismatches at various institutional levels exist. Development theorists have preferred to remain blissfully unaware of social requirements. At one time efficiency was their goal, now it is equity. But whatever be the objective, the attitude is that the development will be provided by them. They have not known the importance of consent.

In developmental work agencies will have to cultivate a high level of adaptability commensurate with a high level of failure that they are found to encounter in such a diverse environment as the Himalayas.

## CHAPTER 7

## CONCLUSION

can conclude is that there is not problem but a multiplicity of single problems affecting the Himalayas, which take their shape from the particular social and cultural contexts. Deforestation, erosion and flooding are not technical problems. as behind these the myriad social, political, and economic processes, and hence can be understood only in such a perspective.

has been discussed in the previous what certain arrive chapters, can at systemic we connenctions. Tfwe assume that environmental degradation is inherent to the Himalayas, and human nature is what it is, then we have two options before Either we allow further degradation Himalayan environment, or we change human nature. The first option is coercive utopian in nature. The former is supposed to bring about "development", and the latter to be against it. However, those not predisposed to any of these options point out that both options fail to understand the social and

cultural institutions and the historical processes of their development. Hence, both these views are partial and partisan, and a more suitable solution would necessarily entail:

- Providing definite territory to a definite people;
- encouragement to establish small-scale villagelevel institutions;
- 3. Partial privatization with family territories, which are closely interrelated with communal control mechanisms;
- 4. Shared system of knowledge according to which the status of the environment is assessed .

If we examine the local institutional structure we can see institutions that are either rigid or flexible. The former resists change, but change is inevitable, hence it brings about its own demise as another structure builds up external to it,

<sup>1.</sup> Thompson, M.; and, Warburton, M.; 1985: "knowing where to Hit It: A conceptual Framework for the sustainable development of the Himalaya.";

Mountain Research and Development; 5 (3); 203-220.

thereby leading to structural collapse. However, the flexible insitutions are mutable and absorb and incorporate changes, thereby leading to structural transition. A complex system such as the Himalayas contains both these types of institutions. What is hence required is a sensitive understanding of these institutions and to indentify the progressive elements. However, our attempts to do so have only been peripheral.

Growing poverty is being engendered in the Himalayas by a rapidly growing land-based population. Increasing pressures on land makes the farmer other less rewarding alternatives, and faces ultimate limit where there is a total lack of alternatives, i.e., the structure becomes increasingly rigid and fragile. This leads to spiralling poverty, as poverty is simply a lack of options.

Alternative options when utilized as by the Sherpas and Tamangs in livestock rearing and trading in the Kathmandu valley, Manangbhotias in their trade with Bankok, the Newaris in the carpet industry, and

the Rais as porters transporting foodstuff supplies to the Khumbu area have led to improved life-styles. Such flexibility and adaptability holds possibilities of an escape from poverty. In other words, and wealth are considered synonymous, then with increasing population we have a negative-sum game, an escape from which is possible either through stabilization of population or by increasing But if the relation between productivity, or both. and wealth is severed, it may lead to positive-sum game. For this very purpose alternative possibilities for every area have to be identified.

embarking onto such However, prior to exercise we should keep in mind that these Himalayan micro-regions are not closed systems. The different regions the Himalayas are interrelated ofand interdependent. Those the middle Himalayas in practice a low risk-high reward option of trading, livestock rearing together with some farming. Despite this bifurcation of risk-handling strategies, both depend for their viability upon each other. The small surpluses produced by the cautious cultivator

is batered or sold to the more adventurous people of higher attitudes. This interdependence will break down if the present population explosion in the Middle Mountains continues unabated, as no longer can grain surpluses be produced. This will lead to cataclysmic socio-cultural upheavals in the entire Himalayas. Thus the need to identify alternative vocations becomes urgent.

empires were not able to bring the peoples of the Himalayas under their complete control, and if so at all for not very long periods. The Mughals could not convert the Himalayan Rajput Kindoms in Kangra, Kulu, Garhwal, and Jumla. The British and the Russians failed to subjugate Afghanistan. The British gave up their attempts to incorporate Nepal, and the Chinese then could only lay token claims on Tibet. Geopolitically, the Himalayan region is not a power vacuum, for then it can be filled. Rather, it is a political margin where the great empires lose

<sup>2.</sup> Thompson, M.; and, Coarburton, M; 1985; ibid.

their sting, thereby leaving the area as a vast partially controlled tract. In such a circumstance the game of politics is maintained by skillfully playing off one superpower (or international agency) against another . Hence, Himalayan politics is not a game of power but that of powerlessness. Due to this very reason of powerlessness, most development policies are not related to anything, thereby not succeeding in attaining their objectives. These could succeed only if the political systems of the Himalayas themselves were involved in the exercise of power.

With this geopolitical scenario, the problem should also be viewed environmental centre-periphery model - the empire and the margin. The basic problem is that "the power lies in the plains but the problem lies in the hills" . Throughout history the centre has reacted to problems in one of the two - imposing ways,

<sup>3.</sup> This has been attempted in more detail in chapter 4.

<sup>4.</sup> Thompson, M.; and Warburton, M.; 1985; op.cit; pp.212.

interposing. Establishing forest corporations and reserved forests are incorporative in nature and are example of the former. On the other hand the judicious and cost - effective fostering of buffer states thereby maintaining their autonomy an example of the latter. However, these are not permanent and we have seen in one being replaced by in many parts of the Himalayas, example the young husband expedition to Lhasa and the incorporation of Sikkim by India.

Impositions and interpositions have ascillated with the waxing and waning of the fortunes of the great empires. Several examples can be cited, instance with the Chinese occupation of Tibet in the 1950s, Indian troops were concentrated along the subsequent loss of autonomy of borders. with On the other hand Nepal these areas. remove the Indian Military Mission in the More recently India incorporated Sikkim in With the removal of Tibetan querillas from Nepal they spiti, and Rupshu thereby helping moved into Ladakh, intelligence and allowing India in gathering

Ever move its own forces to lower attitudes. the conflagration between India and Pakistan over the issue, both countries have maintained large armed forces in the areas thereby eroding the autonomy of the buffer Jammu and Kashmir. Throughout history these areas whenever incorporated into the great empires exerted their rights to be autonomous entities. Movements like Chipko, Uttarakhand, Gorkhaland as well as the movements in Kashmir and north-eastern India are just such manifestations the need and urge for autonomy.

The environmental problem is to be seen in this dimension. The problem in the periphery affects the centre, eg. through flooding. To alleviate this a compact is required between the centre and the periphery, though it might be asymmetrical. However, if the centre gets what it wants then there is a possibility that it might not impose itself on the periphery, thereby maintaining the latter's autonomy. Thus, the periphery will also take keen interest in solving the problem, lest economic sanctions or even military intervention is imposed upon it. However,

this direct relationship between assumes deforestation and flooding which has atleast been partly repudiated in chapter 3. But the governments of the lowlands believe in such casual relationships at present, it is the political reality the physical reality might be something though different.

This would lead us to two options, either to change political reality or to accepting the casual relationship between deforetation and erosion flooding. However, the first option is highly limited as to change political reality we need to more thoroughly examine the biophysical reality, if the two happen to be different, then we need to apply sufficient pressures on the governments to change their line of thought according to scientific findings. However, at present our state of knowledge about the biophysical world of the Himalayas is abysmal. In this context have already mentioned that for instance, the estimates of per capita fuelwood Nepal vary by a factor(not consumption for percentage) of 67. On the other hand if we accept a

casual relation between deforestation and flooding we cannot rule out either an imposition of sanctions by lowland powers on the Himalayan regions, or an asymmetrical compact between highland and lowland powers.

institutional approach is here where the It. becomes significant. Though it is difficult to find physical facts, fortunately it is not so in the case This does not mean that we for institutional facts. abandon our attempts to comprehend the physical facts. On the other hand an institutional approach will help us greatly to understand which physical fcts are most important to be known and our capability to know them.

institutional However, while applying the approach we should remember the following. The "delivery" level of a project is the village and the "provider" level is the government or agency. This lead to institutional mismatches with a project enjoying macro-institutional support but not at micro-level. vice Besides, or versa. these institutiona are not homogenous themselves, at

the village level landlords may support a scheme but the tenants may not, or at the macro-level the international agency may support it but the Ministry may not. Hence, we need to take cognizance of istitutional contention. Besides, implementation shall be successful only if there is sufficient coordination and mutually between the two flows of the movement of authority from the top to bottom and the movement of consent from bottom to top.

Development projects have tended to be a flow of alms. This has made directional it impossible to achieve a fruitful dialogue between the providers and receivers of development aid. This has been the primary reason for the failure of deforestation programmes in the Himalayas. For instance, between 1976 and 1985 the nations of the world spent or promised as much as to Nepal for deforestation programmes but \$ 189mi little success has been achieved.

According to the social principle of Reciprocity there are three essential processes, - obligation to give, obligation to receive, and the obligation to

reciprocate. This reciprocation through qiftexchange, though the value of the gift can vary according to one's status. However, for reciprocationto occur, it is essential that each party believes that the other has something worth When this is absent and one party refuses its obligation to receive as it perceives that the other party has nothing worth giving, then giftexchange becomes alms -giving. This is esactly what is happening in scientific circles. The developed world considers its knowledge and expertise to be sufficient, thereby not requiring the under-developed world to reciprocate. However, to attain the goals desired by both, the former should ask a feed-back from the latter, as the latter can provide expertise inencoding man-nature relationships, and in the evluation of ethno-science and ethno-practice. Only such an accomodation and reconciliation by the former can transform the present cold transfer of alms to a

5

possible warm gift exchange .

Mountain environments should also be understood only on the ecological basis of local cultures, in ther interactions with the outside world. but Complex cyclical movements within the mountains have yielded place to those based around a central village site, which itself has been increasingly oriented to the mountains. centres outside In the Himalayas there has been a movement away from the higher altitudes as these areas have been denied of their traditional changed economy by geopolitical conditions. Present land-uses have tended to be "horizontal" compared to the traditional "vertical" This has resulted in the local people becoming cut-off from the resources of different altitudinal resource riches. This has caused an increase in the usage of local intensity in the resources, anincrease in the penetration of the "modern" sector the traditional economy that has brought about a

<sup>5.</sup> Hatley, T; and, Thompson, M.; 1985: "Rare Animals, poor people, and Big Agencies: A perspective or Biological conservation and Rural Development in the Himalaya;" Mountain Research and Development; 5 (4); 365-377.

progressive demise of the highland economy, and 6 depopulation in many high-altitude areas.

is common to all mountain areas is their dependence on the lowland powers. The accidented nature of mountain terrain does not allow for unity among mountain peoples and ties with the outside world tend to the stronger than internal linkages. Besides, links between regional elities and lowland powers exacerties will continue to atrophy fringes of the more developed world, dependent for their fate and survival on powers far beyond their regional boundaries.

However, till today processes accelerating unstable conditions in the mountains are not well understood. This will require more intensive ecological research and a fuller understanding of natural and human processes of these regions at a loal, regional, and super -regional scale. It is to

<sup>6.</sup> Skeldon, R.; 1985: "Population Pressure, Mobility, and Socioeconomic change in Mountain Environments: Regions of Refuge in comparative perspective; "Mountain Research and Development; 5 (3); 223-250.

understood that environmental deterioration is cumulative result of slow-acting, long-lasting, slowly - accelerating uncontrolled process. Α holistic approach to this problem will require specialized contributions from different disciplines. The natural scientist can contribute to the nature of climate, water, soil, biota, pollution, etc. social scientist must highlight the socioeconomic and ethnic characteristcs. The economist should bring out the effects of the market economy, the relations between highland and lowland economics, the degree of self-sufficiency possible, the natural resources that can be utilized, etc. And above all, all such studies will finally require to be co-oriented and it is often said that the whole is synthesized, as more than the sum of its parts. An integrated interdisciplinary research is imperative to arrest reverse the trend towards or even increasing environmental degradation.

High-altitude systems result from the linkages between several sub-systems. The socioeconomic system influences the land-use system which in turn

influences the natural system. Accommodation of all these processes will bring about a normal feedback between the different components. Such an integrated model will facilitate the understanding of the system as a whole and will help in predicting responses.

However, first of all this will require defined ideal landscape desired and the clearly stability required for a degree of long-term After this, an evaluation can sustainable land-use. made whether the natural system has the capacity ideal to achieve these objectives, and the alternatives consequences and to present socioeconomic processes. This will allow บร to decide whether the high-altitude systems should self-efficiency or strive for local market a orientation, and whether high-or low-energy should be attempted, or even a compromise somewhere between such alternatives.

Besides, scientists should seriously consider the decision-making process, and strive hard so that their research reaches the decision-making level, as otherwise a research work which is not implemented is of little practical purpose .

After this discussion it would be apt to ask whether a crisis exists or not. The actual scenario that a crisis is developing and it is should be as a potential supercrisis. regarded What suggested is to avoid disguising it by oversimplification of exacerbating it by generalization. It is important to note, that among the vicious cycles in operation, there are virtuous cycles too, and through a community approach together with a sensitive external cooperation, such a downward spiral can be transfored to an upward mode. This requires urgently a fuller understanding of problem facilitate a radical change in our development policies .

<sup>7.</sup> Messerli, B.; 1985: "Stability or Instability of Mountain Ecosystems: An Interdisciplinary Approach; "in Singh, T.V.; and, Kaur, J. (eds.); Integrated Mountain Development; Himalayan Books; New Delhi; 72-97.

<sup>8.</sup> Ives, J.D.; 1987: "Theory of Himalayan Environmental Degradation"; Mountain Research and Development; 7(3); 189-199.

## BIBLIOGRAPHY

Ayord, D.;1985: "Mountain Hydrologic Systems", Mountain Research and Development; 5(4); 349-363.

Allan, N.J.R.; 1985: "Periodic and Daily markets in Highland-Lowland Interaction Systems"; in, Singh, T.V.; and, Kaur, J. (eds); Integrated Mountain Development; Himalayan Books; New Delhi; 239-256.

Bahuguna, S.; 1987: "The Chipko - A People's Movement"; in, Raha, M.K.; (ed.); <u>The Himalayan Heritage</u>; Gian Publishing House; Delhi; 238-248.

Baker, P.T. & Weiner, J.S.; (eds.); 1966: The Biology of Human Adaptability; Clarendon Press; Oxford.

Baker, P.T. (ed.); 1978: <u>Biology of High altitude</u> <u>Peoples</u>; Cambridge University Press; Cambridge.

Bandyopadhyay, J. et. al. (eds.),1985: <u>India's Environment</u>: <u>Crises and Responses</u>; Natraj Publishers; Dehradun.

Bandyapadhyay, J.; Jayal;, N.D.; Schoetti, V.; and, Singh, C.; 1985: <u>India's Environment - Crises and Responses</u>; Natraj Publishers; Dehra Dun.

Bandyopadhyay, J.; and, Shiva, N.; 1988: "Political Economy of Ecology Movements"; Economic and Political Weekly; 23-(24); 1223-1232.

Banerji, M.L.; 1963: "Outline of Nepal Phytogeography"; Vegetatio; 11: 288-296.

Barreman, G.D.; 1987: "Uttarakhand and Chipko: Regionalism and Environmentalism in the Central Himalayas"; in, Raha, M.K. (ed.); The Himalayan Heritage; Gian Publishing House; Delhi; 266-300.

Barth, F.; 1956: "Ecologic Relationships of Ethnic groups in Swat, North Pakistan;" American Anthropologist; (58) 1079-1089.

Berreman, G.D.; 1970: "Pahari Culture: Diversity & Change in Lower Himalayas"; in, Ishwaran, k(ed.); Change & Continuity in India's Villages; 73-103; Colombia University Press; New York.

Bhasin, M.R.; Kumar, V.; and Sehgal, A.; 1984: "Impact of Human Activity on the Ecosystem with reference to the Sikkim Himalaya MAB (Man and the Biosphere) Programme, UNESCO;" Mountain Research and Development; 4(3); 267-271.

Bhati, J.P.; and, Swarup, R.; 1985: "Why Eco-development Planning fails in the Himalayas"; in, Singh, T.V.; and, Kaur, J. (eds.); Integrated Mountain Development; Himalayan Books, New Delhi, 337-348.

Bhatt, C.P.; 1987: "The Chipko Movement: Strategies, Achievements and Impacts"; in, Raha, M.K. (ed.); The Himalayan Heritage; Gian Publishing House; Delhi; 249-265.

Billings, W.D.; 1973; "Artic and Alpine vegatations similarities, differences, and susceptibility to disturbance;" <u>Bio Science</u>, 23(12); 197-704.

Billings, W.D.; 1985: "High Mountain Eco-systems: Evolution Structure, Operation and Maintenance"; in, Singh, T.V.; and, Kaur, J.(eds); <u>Integrated Mountain</u> Development; Himalayan Books; New Delhi; 43-71.

Bjonness, I.M.; 1986: "Mountain Hazard perception and Risk-avoiding strategies among the spheres of Khumbu Himal, Nepal"; Mountain Research and Development; 6(4); 277-292.

Bodley, J., 1975: <u>Victims of progress</u>; Cummings, Menlo Park.

Brownrigg, L.A.; 1985: "Native cultures and protected Areas: Management options"; in, McNeely, J.A.; Pitt, D; (eds.); culture and conservation: The Human Dimension in Environmental Planning; Croom Helm; London; 33-44.

Brush, S; "Introduction Symposium on Cultural Adaptation of Mountain Ecosystems;" <u>Human Ecology</u>; 4 (176); 125-134.

Carpenter, S.L.; and, Kennedy, W.J>D.; 1981: "Environmental Conflict Management New Ways to Solve Problems"; Mountain Research and <u>Development</u>; 1(1); 65-70.

Casimir, M.J.; and, Rao, A.; 1985: "The Pastoral Ecology of the Nomadic Bakrwal of Jammu and Kashmir"; Mountain Research and Development; 5(3); 221-232.

Clad, J.C.; 1985: "Conservation and Indigenous Peoples: A Study of Convergent Interests"; in, McNeely, J.A.; and, Pitt, D.; (eds.); <u>Culture and Conservation: The Human Dimension in Environmental Planning</u>; Croom Helm; London; 45-62.

Cocklin, C; 1988: "Environmental values, conflicts and issues in Evaluation"; The Environmentalist; 8(2); 93-104.

Eckholm, E.P., 1975: "The deterioration of mountain environments"; Science, 189(4205): 764-770.

Fisher, J.F. (ed.); 1978: <u>Himalayan Anthropology</u>: <u>The</u> Indo-Tibetan Interface; Mouton; The Hague.

Friedmann, J; 1966: Regional Development Policy: A case study of Venezuela; Cambridge, Massachusetts & London.

Firer - Haimendorf, C.von, 1964; <u>The Sherpas of Nepal</u>; Murray, London.

Firer - Heimendorf, C.von (ed.); 1974: <u>Contributions to the Anthropology of Nepal</u>; Aris & Phillips Ltd, Warminster.

Firer - Haimendorf, C.von; 1975; <u>Hi,alayan Traders</u>: <u>Life in Highland Nepal</u>; John Murrey, London.

Gaur, R.D.; Dilas. R.A.; and, Purohit, P.P.; 1984: "Land-use Patterns and settlements in the Benu Valley in the Garhwal Himalaya"; Mountain Research and Development5(3); 291-294.

Gauthier, H.;1970: "Geography, Transportation and Regional Development"; Economic Geography; 46; 612-19.

Gigon, A; 1983: "Typology and principles of ecological statitity and instability"; Mountain Research & Development; 3(2); 95-102.

Glaser,G; 1983: "The concepts of unstable and vulnerable cosystems a comment based on MAB research in island ecosystems". Mountain research & Development; 3(2); 121-123.

Goldstein, M.C.; 1971: "Stratification, polyandry and family structure in Tibet", <u>SouthWestern</u> <u>Journal</u> <u>of</u> <u>Anthropology</u>; 27(1); 67-74.

Goldstein, M.C; 1976: "Fraternal polyandry and fertility in a high Himalayan valley in Northwest Nepal"; Human Ecology; 4(3); 223-233.

Golstein, M.C.; 1978: "Pahari and Tobetan polyandry revisited", Ethnology; 17(3); 325-337.

Goldstein, M.C. & Messerschmidt, D.A., 1980; "The significance of latitudinality in Himalayan Mountain Ecosystems"; Human Ecology; 8(2): 117-134.

Goldstein, M.C. 1981; "High altitude Tibetan populations in the remote Himalaya: social transformation and its demographic, economic and ecological consequences", Mountain Research & Development; 1(1):5-18.

Goldstein, M.C; Ross, J.L.; & Schuler, S; 1983; "From a mountain-rural to a plains-urban society: Implications of the 1981 Nepal Census"; Mountain Research & Development, 3(1983); 61-64.

Goodland, R.; 1985: "Tribal peoples and Economic Development: The Human Ecological Dimension", in McNeely, J.A.; and Pitt.D.; (eds); Culture and Conservation: The Human Dimension in Environmental Planning; Croom Helm; London; 13-32.

Grotzbach, E.; 1984: "Mobility of Labour in High Mountains and the Socio-Economic Integration of peripheral Areas", Mountain research and Development; 4(3); 229-235.

Guha, R.C;1987: "Sociology of Chipko: A study of the Badyargarh Andolan, 1979"; in Raha, M.K.(ed.); <u>The Himalayan</u> <u>Heritage</u>; Gian Publishing House; Delhi; 301-320.

Guillet,D; 1983: "Toward a Cultural ecology of mountains: The Central andes and the Himalyas compared"; Current Anthropology; 24(5): 561-574.

Gupta, R.K.; 1983: <u>The Living Himalayas</u>; Today and Tomorrows Printers & Publishers; New Delhi.

Hatley, T.; and, Thompson, M.; 1985: "Rare Animals, Poor people, and Big Agencies: A Perspective on Biological Conservation and Rural Development in the Himalaya"; Mountain Research & Development; 5(4); 365-377.

Hewitt, K; 1983: "Seismic risk and Mountain Environments: the role of surface conditions in earthquake diaster"; Mountain Research & Development; 3(1): 27-44.

Hillary, E.; 1975: Nothing Venture, Nothing Win; Hodder and Stoughton, London.

Ives, J & Barry, (eds.); 1974: Arctic and Alpine Environments; Methuen; London.

Ives, J.D. & Messerli, B; 1981: "Mountain hazards mapping in Nepal: Introduction to an applied mountain research project"; Mountain Research & Development, 1(3-4): 223-230.

Ives, J.D.; 1985: "The Mountain Malaise: Quest for an Integrated development", in Singh, T.V.; and Kaur, J. (eds); Integrated Mountain Development; Himalayan Books; New Delhi; 33-42.

Johnson, K; Olson, E.A; & Manandhar,S; 1982: "Environ-mental Knowledge and response to natural hazards in mountainous Nepal", <u>Mountain Research Development</u>; 2(2):175-188.

Kawalkita, J.; 1985: "Synergic Approach to Mountain Development Case study of Sikha Valley in Nepal", in Singh, T.V.; and, Kaur, J.(eds.); Integrated Mountain development; Himalayan Books, New Delhi, 402-424.

Kharkwal, S.C.; 1977: "Geographic personality of Garhwal"; The Himalaya (Journal of Institute of Himalayan Studies & Regional Development, Garhwal University); 3-13.

Lienholz, H; Haper, H; Schneider, G; & Tamraber, R; 1983: "Mountain Hazards mapping in Nepal's Middle Mountains with maps of land use and geomorphic damage (Kathmandu-Kabani area)"; Mountain Research & Development, 3(3); 195-220.

Kienholz, H.; Schneider, G.; Bichsel, M.; Grunder, M.; and Mool, P.; 1984: "Mountain Hazards Mapping Project, Nepal: Base Map, and Map of Mountain Hazards and slope stability, Kathmandu-Kakani Area/with 2 maps, Scale 1: 10,000). Mountain Research and development; 4(3); 247-266.

Kirkby, M. & Margan, R.P.C. (eds.); 1980 : <u>Soil Erosion</u>; John Wiley & Sons; New York.

Vall, J.S.(eds.); 1981 : The Himalya : Aspects of Change; Oxford University Press; New delhi.

Levy-Leboyer, C.; 1982: <u>Psychology and Environment;</u> Sage, London.

Mahat, T.B.S.; Griffin, D.M.; and Shepherd, K.R.; 1986: "Human Impact on some Forests of Sindhu Palchok and Kabhre Palanchok"; Mountain research and development; 6(4); 325-334.

Maybury, L.D.; 1968 : <u>The Savage and the Innocent</u>; Beacon; Boston.

Mazance, J.A.; and, Alkier, W.; 1985: "Tourism Planning in Highly Developed Mountain Areas: Recommended Methodology"; in Singh, T.V.; and, Kaur, J.(eds.); Integrated Mountain Development; Himalayan Books; New Delhi; 275-292.

McNeely, J.A. & Pitt, D; 1985 : <u>Culture and Conservation</u> : the <u>Human Dimension in Environmental Planning</u>; Croom Helm; London.

Messerli, B.; 1985: "Stability and Instability of Mountain Eco-systems"; in Singh, T.V.; and Kaur, J.(eds.); Integrated Mountain Development; Himalayan Books; New Delhi; 72-97.

Miller, A.; 1985: "Ideology and environmental Risk management", The Environmentalist; 5(1); 21-30.

Muller, P.; 1980 : <u>Biogeography</u>; Harper and Row; New York.

Negi, P.S.; 1981: "Impact of Money Order economy on socioeconomic development of Garhwal region"; National geographer; XVI(1); 71-76.

Neustadtt, S.J; 1977: "Montology : The Ecology of Mountains"; Technology Review; 79/8 (1977); 64-66.

Ohsawa, M.; Shakya, P.R.; and, Numata, M.; 1986: "Distribution and Succession of West Himalaya Forest Types in the Eastern part of the Nepal Himalaya"; Mountain Research and Development; 6(2); 143-157.

Ortner, S.B; 1978 : <u>Sherpas Through Their Rituals</u>; Cambridge University Press.

Pawson. G; Stanford, D.D., & Adams, V.A; 1984; "Effects of Modernisation on Nepal's Khumbu region: Changes in population structure, 1970-1982". Mountain Research and development; 4(1); 73-81.

Rawson, I.G.; Stanford, D.D.; Adams, V.A.; and, Nurbu, M.; 1984: "Growth of Tourism in Nepal's Everest Region: Impact of the Physical Environment and Structure of Human Settlements"; Mountain Research and Development; 4(3); 237-246.

Peattie, R; 1931: "Height Limits of Mountain economics: A Preliminary Survey of contributing Factors"; geographical review; 21; 1931; 415-428.

Peattie, R; 1936: Mountain Geography; Harvard University Press; Cambridge, Mass:

Peters, T; & Mool, P.K; 1983: Geological & Petrographic base studies for the mountain Hazards mapping project in the Kathmandu-Kakani area, Nepal"; Mountain research & Development, 3(3); 221-226.

Pitt, D.C; 1986: "Crisis, Pseudocrisis, or Supercrisis: Poverty, Women, and Young People in the Himalaya. A Survey of Recent Developments". Mountain Research and development; 6(2); 119-131.

Price, L.W; 1981: Mountain and man; University of California Press; Berkeley.

Regmi, M.C.; 1976: <u>Land Ownership in Nepal</u>; University of California Press.

Reid, H.F.; Smith, K.R.; and, Sherchand, B.; 1986: "Exposure to Indoor smoke from Traditional and Improved Cookstoves: Comparidions among Rural Nepali women"; Mountain Research and development; 6(4); 293-304.

Rhoades, R.E. & Thompson, S.I., 1975: "Adaptive Strategies in alpine Environments: Beyond Ecological particularism"; American Ethnologidt, 2(3): 535-551.

Rose, L; 1977 : <u>Politics in Bhutan</u>; Cornell University Press.

Rose, L & Shalz, V.I.; 1980 : <u>Nepal</u> : <u>Profile of Hima-layan Kingdom</u>; Westview Press; Boulder; Colorado.

Sandole, D.J.D; and, Sandole-Staroste, I., (eds.); 1987: Conflict Management and Problem solving: Interpersonal to International Applications; Frances Pinter; London.

Schaller, G.; 1980: <u>Stones of Silence</u>: <u>Journeys in the Himalaya</u>; Deutsch; London.

Shiva, V.; and, Bandyopadhyay, J; 1985: "Sucess for Citizens' Environmental Action in the Doon Valley, Dehra Dun, India"; Mountain research and development; 5(3); 294.

Shiva, V.; and, Bandyopadhyay, J.; 1986: "The Evolution, Structure and Impact of the Chipko Movement"; Mountain research & Development; 6(2); 133-142.

Singh, J.S.(ed.); 1985: "Environmental Regeneration in Himalaya: Concepts and strategies; The Central Himalayan Environment Association & Gyanodaya Prakashan; Nainital.

Singh, T.V.; and Kaur, J.; 1985: "In search of Holistic Tourism in the Himalaya:; in Singh, T.V; and Kaur, J.; (eds.); <u>Integrated Mountain development</u>; Himalayan Books; New delhi; 345-401.

Skeldon, R.; 1977: "the evelolution of migration patterns during urbanisation in Peru"; Geographical Review; 67; 394-411.

Skeldon, R; 1985: "Population Resource, mobility, and socioeconomic change in Mountain Environments: Regions of Refuge in Comparative Perspective"; Mountain Research and Development; 5(3); 233-250.

Soffer, A; 1982: "Mountain Geography: A New Approach"; Mountain Research & Development; 2(1982); 391-398.

Staley, J.; 1969; "Economy and society in the high mountains of northern Pakistan"; Modern Asian Studies; III; 225-243.

State of India's Environment, The; 1984-85: The Second Citizens' Report; Centre for Science and Environment; New Delhi.

Thompson, W.F.; 1964: "How and why to distinguish between Mountain and Hills"; <u>Professional Geographer</u>; 16; 1964; 6-8.

Thompson, M; and, Warburton, M.; 1985: "Knowing where to Hit It: A Conceptual Framework for the sustainable development of the Himalaya"; Mountain Research and Development; 5(3);203-220.

Tobias, M.C; and, Deasdo, H; 1979: The Mountain Spirit; Overlook Press; New York.

UNESCO,1974: Programme on Man and the Biasphere (MAB), working group on Project 6; Impact of Human Activities on Mountain and Tundra Ecosystems, Lillehammer, 20-23 Nov 1973, Final Report. MAB Report 14, UNESCO, Paris.

UNESCO. 1975: Regional meeting on Integrated Ecological Research and needs in southern Asian Mountain systems, particularly the Hindu Kush-Himalayas; Man and the Biosphere Report series No.34 Paris, UNESCO.

United Nations Environment Programme; 1980 The Major Problems of Man and Environment Interactions in Mountain Ecosystems: A Review; UNEP Report No.2; Nairobi, UNIPUB.

Weitz, C.A.; Pawson, I.G.; Weitz. M.V.; Lang, S.D.R.; and, Lang, a.; 1978: "Cultural factors affecting the demographic structure of a high attitude Nepalese population"; Social Biology; 25(3); 179-195.

Whiteman, P.T.S; 1985: "The mountain environment: an agronomist's perspective with a case study from Jumla, Nepal"; Mountain Research and Development; 5(2):151-162.

Winiger, M;1983: "Stability and instability of mountain ecosystems"; Mountain Research & Development;3(2), 103-111.

Yoshino, M.M.; 1985: "Mountain Development and Local Climate: An Overview"; in, Singh, T.V.; and Kaur, J.(eds); Integrated Mountain Development; Himalayan Books; New Delhi; 257-274.

Zelinsky, W, kosinski, L.A., & Prothero, R.M.(eds); 1970: <u>Geography and a Crowding World</u>; Oxford Univ Press; New Delhi.

Zelinsky, W; 1971: "The hypothesis of the mobility transition"; Geographical Review; 61; 219-249.

